

# STATE OF DELAWARE EXECUTIVE DEPARTMENT OFFICE OF MANAGEMENT AND BUDGET

# **State of Delaware**

# **Custom Uniforms**

# **Request for Proposal**

# Contract No. GSS16071-CUSTOM\_UNFRM

March 14, 2016

- Deadline to Respond -Tuesday, April 12, 2016 1:00 PM (Local Time)

## CONTRACT NO. GSS16071-CUSTOM UNFRM

#### **ALL VENDORS:**

The enclosed packet contains a "REQUEST FOR PROPOSAL" for Custom Uniforms .The proposal consists of the following:

- I. Introduction
- II. Scope of Work
- III. Format For Proposal
- IV. Proposal Evaluation Procedures
- V. Mandatory Pre-Bid Meeting
- VI. Definitions and General Provisions
- VII. Proposal Reply Section
  - a. Attachment 1 No Proposal Reply Form
  - b. Attachment 2 Non-Collusion Statement
  - c. Attachment 3 Exceptions
  - d. Attachment 4 Company Profile and Capabilities
  - e. Attachment 5 Confidentiality and Proprietary Information
  - f. Attachment 6 Business References
  - g. Attachment 7 Subcontractor Information Form
  - h. Attachment 8 Monthly Usage Report
  - i. Attachment 9 Subcontracting (2<sup>nd</sup> tier spend) Report
  - j. Attachment 10 Office of Supplier Diversity Certification Application
  - k. Attachment 11 Proposal Reply Requirements
  - I. Appendix A Scope of Work Details
  - m. Appendix B Uniform Specifications
  - n. Appendix C Pricing Form

In order for your proposal to be considered, the Proposal Reply Section shall be executed completely and correctly and returned in a sealed envelope <u>clearly displaying the contract number and vendor name</u> by 1:00pm (Local Time) Tuesday, April 12, 2016 to be considered.

#### Proposals must be mailed to:

State of Delaware Government Support Services Contracting Section 100 Enterprise Place, Suite 4 Dover, DE 19904-8202

Please review and follow the information and instructions contained in the General Provisions and this Request for Proposal (RFP). Should you need additional information, please call Courtney McCarty at 302-857-4557 or email Courtney.mccarty@state.de.us.

### I. INTRODUCTION

#### A. PURPOSE

The purpose of this Request for Proposal is to obtain sealed proposals from vendors who can supply custom uniforms.

### 1. COMPETITIVE SEALED PROPOSAL

It has been determined by Director, Government Support Services, pursuant to **Delaware Code Title 29, Chapter 6924 (a)** that this solicitation be offered as a request for competitive sealed proposals because the use of competitive sealed bidding is not practical and/or not in the best interest of the State. The use of competitive sealed proposals is necessary to:

- Use a contract other than a fixed-price type; or
- Conduct oral or written discussions with vendors concerning technical and price aspects of their proposals; or
- Afford vendors an opportunity to revise their proposals through best and final offers; or
- Compare the different price, quality and contractual factors of the proposals submitted; or
- Award a contract in which price is not the determining factor.

#### 2. CONTRACT REQUIREMENTS

This contract will be issued to meet the State's needs for Custom Police Uniforms and shall be accessible to any Political Subdivision receiving state funds.

#### 3. MANDATORY USE CONTRACT

**REF: Title 29, Chapter 6911(d)** <u>Delaware Code</u>. All Covered Agencies as defined in 29 Del. C. §6902(6) shall procure all material, equipment and nonprofessional services through the statewide contracts administered by Government Support Services, Office of Management and Budget. Delaware State University, Delaware Technical and Community College, school districts, and the Legislative Branch are specifically exempted from the requirements of this subchapter. In addition, the Delaware Transit Corporation is exempt from the entire procurement chapter. Pursuant to 29 Del. C. §6904(I) and (n) respectively, the Department of Elections and the Board of Pension Trustees have certain exemptions from the procurement chapter which may or may not apply to this Request for Proposals.

### 4. COOPERATIVE USE OF AWARD

As a publicly competed contract awarded in compliance with 29 DE Code Chapter 69, this contract is available for use by other states and/or governmental entities through a participating addendum. Interested parties should contact the State Contract Procurement Officer identified in the contract for instruction. Final approval for permitting participation in this contract resides with the Director of Government Support Services and in no way places any obligation upon the awarded vendor(s).

### 5. MULTIPLE SOURCE AWARD

The Agency reserves the right to award this contract to more than one vendor pursuant to 29 Del.C. §6926. Government Support Services reserves the right to reject any or all bids in whole or in part, to make multiple awards, partial awards, award by types, item by item, or lump sum total, whichever may be most advantageous to the State of Delaware.

### 6. POTENTIAL CONTRACT OVERLAP

Vendors shall be advised that the State, at its sole discretion, shall retain the right to solicit for goods and/or services as required by its agencies and as it serves the best interest of the State. As needs are identified, there may exist instances where contract deliverables, and/or goods or services to be solicited and subsequently awarded, overlap previous awards. The State reserves the right to reject any or all bids in whole or in part, to make partial awards, to award to multiple vendors during the same period, to award by types, on a zone-by-zone basis or on an item-by-item or lump sum basis item by item, or lump sum total, whichever may be most advantageous to the State of Delaware.

#### 7. CONTRACT PERIOD

Each Vendor's contract shall be valid for a one (1) year period from June 1, 2016 through May 31, 2017. Each contract may be renewed for three (3) one (1) year periods through negotiation between the Vendor and Government Support Services. Negotiation may be initiated no later than ninety (90) days prior to the termination of the current agreement.

The State reserves the right to extend this contract on a month-to-month basis for a period of up to three months after the term of the full contract has been completed.

#### **B. KEY RFP DATES/MILESTONES**

The following dates and milestones apply to this RFP and subsequent contract award. Vendors are advised that these dates and milestones are not absolute and may change due to unplanned events during the bid proposal and award process.

| Activity                                  | Due Date                                       |  |
|---|--|--|
| RFP Availability to Vendors               | March 14, 2016                                 |  |
| Written Questions Due No Later Than (NLT) | 1:00pm Local Time (LT) Tuesday, March 22, 2016 |  |
| Written Answers Due/Posted to Website NLT | Monday, March 28, 2016                         |  |
| Proposals Due NLT                         | 1:00pm (LT)Tuesday, April 12, 2016             |  |
| Public Proposal Opening                   | 1:00pm (LT)Tuesday, April 12, 2016             |  |
| Proposal Evaluation/Presentations         | As required                                    |  |
| Vendor Best & Final Discussions           | As required                                    |  |
| Contract Award                            | Will occur within 90 days of bid opening       |  |

#### C. INQUIRIES & QUESTIONS

We welcome your interest in working with us, and we will be pleased to answer any questions you may have in formulating your response to this Request for Proposal.

All questions with regard to the interpretation of this solicitation, drawings, or specifications, or any other aspect of this RFP must be received in writing by 1:00pm Local Time (LT) Tuesday, March 22, 2016. All questions will be answered in writing by Monday, March 28, 2016 and posted on <a href="http://bids.delaware.gov/">http://bids.delaware.gov/</a> website. All questions must make specific reference to the section(s) and page numbers from this RFP where applicable. Oral explanations or instructions will not be binding.

#### D. RFP DESIGNATED CONTACT

All requests, questions, or other communications about this RFP shall be made in writing to the State of Delaware. Address all communications to the person listed below; communications made to other State of Delaware personnel or attempting to ask questions by phone or in person will not be allowed or recognized as valid and may disqualify the vendor. Vendors should rely only on written statements issued by the RFP designated contact.

Courtney McCarty
State of Delaware
Government Support Services
100 Enterprise Place, Suite 4
Dover, DE 19904-8202
or
Courtney.mccarty@state.de.us

To ensure that written requests are received and answered in a timely manner, electronic mail (e-mail) correspondence is acceptable, but other forms of delivery, such as postal and courier services can also be used.

#### E. CONTACT WITH STATE EMPLOYEE

Direct contact with State of Delaware employees other than the State of Delaware Designated Contact regarding this RFP is expressly prohibited without prior consent. Vendors directly contacting State of Delaware employees risk elimination of their proposal from further consideration. Exceptions exist only for organizations currently doing business in the State who require contact in the normal course of doing that business.

### II. SCOPE OF WORK

## A. OVERVIEW

The Vendor(s) shall provide all equipment, materials and labor to supplement the State of Delaware's need for Custom Uniforms as described herein. The contract will require the Vendor(s) to cooperate with the ordering agency to insure the State receives the most current state-of-the-art material and/or services.

# **B. DETAILED REQUIREMENTS**

The technical requirements of this RFP are stated in Appendix A and B. Vendors must provide pricing for the items listed in Appendix C.

#### III. FORMAT FOR PROPOSAL

#### A. INTRODUCTION

This section prescribes the mandatory format for the presentation of a proposal in response to this RFP. Each Vendor must provide every component listed in the order shown in this RFP, using the format prescribed for each component. A proposal may be rejected if it is incomplete or conditional.

# **B. PROPOSAL RESPONSE**

The Request for Proposal may contain pre-printed forms for use by the vendor in submitting its proposal. The forms required by this solicitation shall be considered mandatory, prevailing documents.

When preprinted forms are used, the forms shall contain basic information such as description of the item and the estimated quantities and shall have blank spaces for use by the vendor for entering information such as unit bid price, total bid price, as applicable.

The Vendor's proposal shall be written in ink or typewritten on the form provided, and any corrections or erasures MUST be initialed by vendor's representative completing the bid submission.

If items are listed with a zero quantity, Vendor shall state unit price ONLY (intended for open end purchases where estimated requirements are not known). The proposal shall show a total bid price for each item bid and the total bid price of the proposal excluding zero quantity items.

Vendors' proposal must respond to each and every requirement outlined in the RFP criteria in order to be considered responsive. Proposals must be clear and concise.

### C. NON-CONFORMING PROPOSALS

Non-conforming proposals will not be considered. Non-conforming proposals are defined as those that do not meet the requirements of this RFP. The determination of whether an RFP requirement is substantive or a mere formality shall reside solely within the State of Delaware.

#### D. CONCISE PROPOSALS

The State of Delaware discourages overly lengthy and costly proposals. It is the desire that proposals be prepared in a straightforward and concise manner. Unnecessarily elaborate brochures or other promotional materials beyond those sufficient to present a complete and effective proposal are not desired. The State of Delaware's interest is in the quality and responsiveness of the proposal.

#### **E. COVER LETTER**

Each proposal will have a cover letter on the letterhead of the company or organization submitting the proposal. The cover letter must briefly summarize the Vendor's ability to provide the services specified in the RFP. The cover letter shall be signed by a representative who has the legal capacity to enter the organization into a formal contract with Government Support Services.

#### F. TABLE OF CONTENTS

Each proposal must include a Table of Contents with page numbers for each of the required components of the proposal.

#### G. DESCRIPTION OF SERVICES AND QUALIFICATIONS

Each proposal must contain a detailed description of how the Vendor will provide the goods and services outlined in this RFP. This part of the proposal may also include descriptions of any enhancements or additional services or qualifications the Vendor will provide that are not mentioned in this RFP.

### H. DISCOUNT

Vendors are invited to offer in their proposal value added discounts (i.e. speed to pay discounts for specific payment terms). Cash or separate discounts should be computed and incorporated into unit bid price(s).

#### I. SAMPLES OR BROCHURES

Samples or brochures may be required by the agency for evaluation purposes. They shall be such as to permit the Agency to compare and determine if the item offered complies with the intent of the specifications.

#### J. ACKNOWLEDGEMENT OF UNDERSTANDING OF TERMS

By submitting a bid, each vendor shall be deemed to acknowledge that it has carefully read all sections of this RFP, including all forms, schedules and exhibits hereto, and has fully informed itself as to all existing conditions and limitations.

#### K. BID BOND REQUIREMENT

The Bid Bond requirement has been waived.

### L. PERFORMANCE BOND

The Performance Bond requirement has waived.

#### M. NUMBER OF COPIES WITH MAILING OF PROPOSAL

To be considered, all proposals must be submitted in writing and respond to the items outlined in this RFP. The State reserves the right to reject any non-responsive or non-conforming proposals. Each proposal must be submitted with two paper copies and one electronic copy on CD/DVD or other electronic media device. One of the paper copies shall be marked "Master Copy" and will contain original signatures in all locations requiring a vendor signature. The remaining copy does not require original signatures.

All properly sealed and marked proposals are to be sent to the State of Delaware and received no later than 1:00PM (Local Time) on Tuesday, April 12, 2016. The Proposals may be delivered by Express Delivery (e.g., FedEx, UPS, etc.), US Mail, or by hand to:

State of Delaware Government Support Services Contracting Section 100 Enterprise Place, Suite 4 Dover, DE 19904-8202 Attn: GSS16071-CUSTOM\_UNFRM

Any proposal submitted by US Mail shall be sent by either certified or registered mail. Any proposal received after the date and time deadline referenced above shall not be considered and shall be returned unopened. The proposing vendor bears the risk of delays in delivery. The contents of any proposal shall not be disclosed as to be made available to competing entities during the negotiation process.

Upon receipt of vendor proposals, each vendor shall be presumed to be thoroughly familiar with all specifications and requirements of this RFP. The failure or omission to examine any form, instrument or document shall in no way relieve vendors from any obligation in respect to this RFP.

The State reserves the right to award the proposed contract to multiple Vendors if the Head of the Agency determines that such an award is in the best interest of the State.

#### N. PROPOSAL EXPIRATION DATE

Prices quoted in the proposal shall remain fixed and binding on the bidder at least through July 12, 2016. Delaware reserves the right to ask for an extension of time if needed.

#### O. WITHDRAWAL OF PROPOSALS

A Vendor may withdraw its proposal unopened after it has been deposited, if such a request is made prior to the time set for the opening of the proposal.

#### P. PROPOSAL MODIFICATIONS

Any changes, amendments or modifications to a submitted proposal requires that the original proposal be withdrawn, **prior** to the time set for the submission of the proposal, and a new proposal submitted **prior** to the deadline for submission of proposals.

Changes, amendments or modifications to proposals shall not be accepted or considered after the hour and date specified as the deadline for submission of proposals.

# Q. LATE PROPOSALS

Proposals received after the specified date and time will not be accepted or considered. To guard against premature opening, sealed proposals shall be submitted, plainly marked with the proposal title, vendor name, and time and date of the proposal opening. Evaluation of the proposals is expected to begin shortly after the proposal due date. To document compliance with the deadline, the proposal will be date and time stamped upon receipt.

# R. ADDENDA TO THE REQUEST FOR PROPOSAL (RFP)

If it becomes necessary to revise any part of this RFP, revisions will be posted at <a href="http://bids.delaware.gov/">http://bids.delaware.gov/</a>. By submitting an offer to the State, vendors have acknowledged receipt, understanding and commitment to comply with all materials, revisions, and addenda related to the Request for Proposal.

### S. INCURRED EXPENSES

The State will not be responsible for any expenses incurred by the Vendor in preparing and submitting a proposal.

### T. ECONOMY OF PREPARATION

Proposals should be prepared simply and economically, providing a straight-forward, concise description of the Vendor's offer to meet the requirements of the RFP.

### **U. DISCREPANCIES AND OMISSIONS**

Vendor is fully responsible for the completeness and accuracy of their proposal, and for examining this RFP and all addenda. Failure to do so will be at the sole risk of vendor. Should vendor find discrepancies, omissions, unclear or ambiguous intent or meaning, or should any questions arise concerning this RFP, vendor shall notify the State of Delaware's Designated Contact, in writing, of such findings at least ten (10) days before the proposal opening. This will allow issuance of any necessary addenda. It will also help prevent the opening of a defective proposal and exposure of vendor's proposal upon which award could not be made. All unresolved issues should be addressed in the proposal.

Protests based on any omission or error, or on the content of the solicitation, will be disallowed if these faults have not been brought to the attention of the Designated Contact, in writing, no later than ten (10) calendar days prior to the time set for opening of the proposals.

# **V. EXCEPTIONS**

Bidders may elect to take **minor exception** to the terms and conditions of this RFP by completing Attachment 3. Government Support Services shall evaluate each exception according to the intent of the terms and conditions contained herein, but Government Support Services must reject exceptions that do not conform to State bid law and/or create inequality in the treatment of bidders. Exceptions shall be considered only if they are submitted with the bid or before the date and time of the bid opening.

**Exceptions must be submitted utilizing Attachment 3 to be considered.** Exceptions listed elsewhere in the Vendor's proposal will not be considered. Government Support Services maintains sole discretion to reject any vendor exceptions that are submitted.

# W. BUSINESS REFERENCES

Business references are to be provided via Attachment 6.

## X. DOCUMENT(S) EXECUTION

All vendors must complete and submit with its proposal the non-collusion statement that is enclosed with this Request for Proposal labeled as Attachment 2. The awarded vendor(s) will be presented with the contract form for signature and seal, if appropriate. Both of these documents shall be executed by a representative who has the legal capacity to enter the organization into a formal contract with Government Support Services.

The State of Delaware requires completion of the <u>Delaware Substitute Form W-9</u> to make payments to vendors. Successful completion of this form enables the creation of a State of Delaware vendor record. The Taxpayer ID (SSN or EIN) and Applicant (vendor) name are submitted to the Internal Revenue Service for "matching." If the Taxpayer ID and name do not match, the vendor record cannot be approved.

It is the applicant's responsibility to select the appropriate 1099 Withholding Type and Class. If incorporated, a business is not subject to 1099 reporting unless the business is providing legal or medical services.

Any questions about completing this form or specific comments about a form that you have submitted, please contact vendor services by phone at 302-672-5000.

# Y. SUBCONTRACTS

Subcontracting is permitted under this RFP and contract. However, every subcontractor shall be identified in the Proposal using Attachment 7.

# Z. CONFIDENTIALITY

Subject to applicable law or the order of a court of competent jurisdiction to the contrary, all documents submitted as part of the vendor's proposal will be treated as confidential during the evaluation process. As such, vendor proposals will not be available for review by anyone other than the State of Delaware/Proposal Evaluation Team or its designated agents. There shall be no disclosure of any vendor's information to a competing vendor prior to award of the contract unless such disclosure is required by law or by order of a court of competent jurisdiction.

The State of Delaware and its constituent agencies are required to comply with the State of Delaware Freedom of Information Act, 29 *Del. C.* § 10001, *et seq.* ("FOIA"). FOIA requires that the State of Delaware's records are public records (unless otherwise declared by FOIA or other law to be exempt from disclosure) and are subject to inspection and copying by any person upon a written request. Once a proposal is received by the State of Delaware and a decision on contract award is made, the content of selected and non-selected vendor proposals will likely become subject to FOIA's public disclosure obligations.

The State of Delaware wishes to create a business-friendly environment and procurement process. As such, the State respects the vendor community's desire to protect its intellectual property, trade secrets, and confidential business information (collectively referred to herein as "confidential business information"). Proposals must contain sufficient information to be evaluated. If a vendor feels that they cannot submit their proposal without including confidential business information, they must adhere to the following procedure or their proposal may be deemed unresponsive, may not be recommended for selection, and any applicable protection for the vendor's confidential business information may be lost.

In order to allow the State to assess its ability to protect a vendor's confidential business information, vendors will be permitted to designate appropriate portions of their proposal as confidential business information.

Vendor(s) may submit portions of a proposal considered to be confidential business information in a separate, sealed envelope labeled "Confidential Business Information" and include the specific RFP number. The envelope must contain a letter from the Vendor's legal counsel describing the documents in the envelope, representing in good faith that the information in each document is not "public record" as defined by 29 Del. C. § 10002, and briefly stating the reasons that each document meets the said definitions.

Upon receipt of a proposal accompanied by such a separate, sealed envelope, the State of Delaware will open the envelope to determine whether the procedure described above has been followed. A vendor's allegation as to its confidential business information shall not be binding on the State. The State shall independently determine the validity of any vendor designation as set forth in this section. Any vendor submitting a proposal or using the procedures discussed herein expressly accepts the State's absolute right and duty to independently assess the legal and factual validity of any information designated as confidential business information. Accordingly, Vendor(s) assume the risk that confidential business information included within a proposal may enter the public domain.

### AA. PRICE NOT CONFIDENTIAL

Vendors shall be advised that as a publically bid contract, no Vendor shall retain the right to declare their pricing confidential.

#### **BB. ATTACHMENTS**

Attachment 1 – No Proposal Reply Form

Attachment 2 – Non-Collusion Statement

Attachment 3 - Exceptions

Attachment 4 – Company Profile and Capabilities

Attachment 5 – Confidentiality and Proprietary Information

Attachment 6 – Business References

Attachment 7 – Subcontractor Information Form

Attachment 8 – Monthly Usage Report

Attachment 9 – Subcontracting (2<sup>nd</sup> Tier Spend) Report

Attachment 10 – Office of Supplier Diversity Certification Application

Attachment 11 – Proposal Reply Requirements

Appendix A – Scope of Work Details

Appendix B – Uniform Specifications

Appendix C – Pricing Form

#### IV. PROPOSAL EVALUATION PROCEDURES

#### A. GENERAL ADMINISTRATION

### 1. STATE'S RIGHT TO REJECT PROPOSALS

Government Support Services reserves the right to reject any or all proposals in whole or in part, to make multiple awards, partial awards, award by types, item by item, or lump sum total, whichever is determined to be the most advantageous to the State of Delaware. Vendors submitting proposals may be afforded an opportunity for discussion. Vendors may be requested to provide a best and final offer during the negotiation process. Negotiations may be conducted with responsible Vendors who submit proposals found to be reasonably likely to be selected for award. The contents of any proposal shall not be disclosed so as to be available to competing Vendors during the negotiation process.

### 2. STATE'S RIGHT TO CANCEL SOLICITATION

The State of Delaware reserves the right to cancel this solicitation at any time during the procurement process, for any reason or for no reason. The State of Delaware makes no commitments expressed or implied, that this process will result in a business transaction with any vendor.

This RFP does not constitute an offer by the State of Delaware. Vendor's participation in this process may result in the State of Delaware selecting your organization to engage in further discussions and negotiations toward execution of a contract. The commencement of such negotiations does not, however, signify a commitment by the State of Delaware to execute a contract nor to continue negotiations. The State of Delaware may terminate negotiations at any time and for any reason, or for no reason.

### 3. FORMAL CONTRACT AND/OR PURCHASE ORDER

No employee of the Contractor(s) is to begin any work prior to receipt of a State of Delaware Purchase Order signed by authorized representatives of the agency requesting service, properly processed through the State of Delaware Accounting Office. A purchase order, telephone call, email, fax or State credit card shall serve as the authorization to proceed with work in accordance with the bid specifications and the special instructions, once it is received by the Contractor(s).

# 4. DELIVERY OF PROPOSALS

Proposals shall be delivered in sealed envelopes, and shall bear on the outside the name and address of the Vendor as well as the designation of the contract. Proposals forwarded by U.S. Mail shall be sent first class to the address stated in this RFP. Proposals forwarded by delivery service other than the U.S. Mail or hand delivered must be delivered to the applicable addresses also stated in this RFP. All bids must clearly display the bid number on the envelope.

State of Delaware Government Support Services 100 Enterprise Place, Suite 4 Dover, DE 19904-8202 Attn: GSS16071-CUSTOM\_UNFRM

All proposals will be accepted at the time and place set in the RFP. Vendor bears the risk of delays in delivery. Proposals received after the time set for public opening will be returned unopened.

#### 5. PUBLIC OPENING OF PROPOSALS

The proposals shall be publicly opened at the time and place specified by the Agency. Vendors or their authorized representatives are invited to be present.

Only the vendor's name and address will be read aloud during the bid opening process.

### 6. DISQUALIFICATION OF VENDORS

Any one or more of the following causes may be considered as sufficient for the disqualification of a vendor and the rejection of its proposal or proposals:

- **a.** More than one proposal for the same contract from an individual, firm, or corporation under the same or different names.
- **b.** Evidence of collusion among vendors.
- **c.** Unsatisfactory performance record as evidenced by past experience with the State of Delaware or on a State of Delaware central contract.
- **d.** Any suspension or debarment of the parent company, subsidiary or individual involved with the vendor by federal, any state or any local governments within the last five (5) years.
- **e.** If the unit prices are obviously unbalanced either in excess or below reasonable cost analysis values.
- f. If there are any unauthorized additions, interlineations, conditional or alternate bids or irregularities of any kind which may tend to make the proposal incomplete, indefinite, or ambiguous as to its meaning.
- g. Non-attendance of mandatory pre-bid meetings shall be cause of disqualification.

#### 7. AUTHORITY OF AGENCY

On all questions concerning the interpretation of specifications, the acceptability and quality of material furnished and/or work performed, the classification of material, the execution of the work, and the determination of payment due or to become due, the decision of the Agency shall be final and binding.

# 8. OR EQUAL (PRODUCTS BY NAME)

Specifications of products by name are intended to be descriptive of quality or workmanship, finish and performance. Desirable characteristics are not intended to be restrictive. Substitutions of products for those named will be considered provided the vendor certifies that the function, characteristics, performance and endurance qualities of the material offered is equal or superior to that specified.

#### **B. RESPONSIVENESS AND RESPONSIBILITY OF VENDOR**

Government Support Services shall award this contract to the most responsible and responsive vendor who best meets the terms and conditions of the proposal.

- **1.** Rejection of individual proposals. -- A proposal may be rejected for 1 or more of the following reasons:
  - a. The person responding to the solicitation is determined to be nonresponsive or non-responsible;
  - **b.** It is unacceptable;
  - **c.** The proposed price is unreasonable; or
  - d. It is otherwise not advantageous to the State.
- 2. Vendors whose proposals are rejected as non-responsive shall be notified in writing about the rejection.
- **3.** Responsibility of vendors. -- It shall be determined whether a vendor is responsible before awarding a contract. Factors to be considered in determining if a vendor is responsible include:
  - a. The vendor's financial, physical, personnel or other resources, including subcontracts;
  - **b.** The vendor's record of performance and integrity;
  - c. Any record regarding any suspension or debarment;
  - **d.** Whether the vendor is qualified legally to contract with the State;
  - e. Whether the vendor supplied all necessary information concerning its responsibility; and
  - f. Any other specific criteria for a particular procurement which an agency may establish.
- **4.** If a vendor is determined to be non-responsible, the vendor shall be informed in writing.
- 5. The State reserves the right to waive minor irregularities, or request additional information before determining the responsiveness of the Vendor. All Vendors will be afforded the same or similar opportunities, as necessary, and will be treated with equal regard before such determinations are finalized.

#### C. PROPOSAL EVALUATION COMMITTEE

The Proposal Evaluation Committee ("Committee") is comprised of representatives of the State of Delaware.

The Committee reserves the right to:

- Select for contract or for negotiations a proposal other than that with lowest costs.
- Reject any and all proposals or portions of proposals received in response to this RFP or to make no award or issue a new RFP.
- Waive or modify any information, irregularity, or inconsistency in proposals received.
- Request modification to proposals from any or all vendors during the contract review and negotiation.
- Negotiate any aspect of the proposal with any vendor and negotiate with more than one vendor at the same time.

- Select more than one vendor pursuant to 29 Del. C. §6926. Such selection will be based on the following criteria:
  - Ability to select an alternative supplier based on agency budget constraints.
  - Vendor ability to meet all contract requirements.

Government Support Services reserves the right to reject any or all bids in whole or in part, to make multiple awards, partial awards, award by types, item by item, or lump sum total, whichever may be most advantageous to the State of Delaware.

#### D. REQUIREMENTS OF THE VENDOR

The purpose of this section is to assist the Proposal Evaluation Committee to determine the ability of the organization to provide the materials and services described in the application. The proposal response should contain at a minimum the following information:

- Brief history of the organizations, including accreditation status, if applicable.
- Applicant's experience, if any, providing similar services. At least three references are required (See § 22 Special Provisions).
- Brief history of the subcontractor of the organization, if applicable. At least three references of subcontractor, if applicable.
- Financial information (balance sheets and income statements) for the past three years.
- Describe the methodology/approach used for this project including details of required service and turnaround time.

### E. CRITERIA AND SCORING

|    | EVALUATION CRITERIA  | POINTS |
|----|--|--------|
| 1. | <u>Vendor Qualification</u> : The qualifications and previous experience with similar contracts of this size (include law enforcement agencies as well as private sector contracts). The background, experience, resources, reputation, years in business.   | 30     |
| 2. | <u>Vendor Qualification</u> : Business References of a similar size and scope demonstrating vendor's ability to provide the services requested   | 5      |
| 3. | Customer Service & Support: The ability to meet delivery requirements within time frame specified, and the understanding of problems that may occur; and how you plan to meet them. Would you be able to handle emergency purchases and if so, what is the turnaround time? Stability of workforce and do you have adequate number of employees? Have you received complaints from customers in the past and how did you make the corrections. | 45     |
| 4. | Quality of Samples (65 points) Score based on quality /quantity required and quality/quantity approved. No substitutions authorized without approval. Is there a warrantee on garments and what is the process for warrantee claims?   | 65     |
| 5. | Pricing (60 Points)-The price proposal/pricing structure or total proposed cost.   | 60     |
|    | TOTAL SCORE  | 205    |

Procurement Evaluation Committee members will assign up to the maximum number of points listed for each of the criteria listed above. For items having quantitative answers, points will be proportionate to each proposal's response. Items with qualitative answers will receive the average of points assigned by Proposal Evaluation Committee members.

#### F. BEST AND FINAL OFFERS

Once the proposals have been evaluated and negotiations have been held with the vendor(s) determined to be likely to receive an award, the Procurement Evaluation Committee issue a request for Best and Final Offers from the vendor(s).

### **G. REFERENCES**

The Committee may contact any customer of the vendor, whether or not included in the vendor's reference list, and use such information in the evaluation process. Additionally, the State of Delaware may choose to visit existing installations of comparable systems, which may or may not include vendor personnel. If the vendor is involved in such site visits, the State of Delaware will pay travel costs only for State of Delaware personnel for these visits.

#### H. ORAL PRESENTATIONS

Selected vendors may be invited to make oral presentations to the Committee. The vendor representative(s) attending the oral presentation shall be technically qualified to respond to questions related to the proposed system and its components.

All of the vendor's costs associated with participation in oral discussions and system demonstrations conducted for the State of Delaware are the vendor's responsibility.

#### V. MANDATORY PREBID MEETING

A mandatory pre-bid meting has not been established for this Request for Proposal.

# VI. DEFINITIONS AND GENERAL PROVISIONS

The attached Definitions and General Provisions apply to all contracts and are part of each Request for Proposal. The requirement to furnish a bid bond and performance bond is applicable unless waived. Should the General Provisions conflict with the Special Provisions, the Special Provisions shall prevail. Vendors or their authorized representatives are required to fully acquaint themselves as to State procurement laws and regulations prior to submitting bid.

**A. DEFINITIONS**: Whenever the following terms are used, their intent and meaning shall be interpreted as follows:

**STATE**: The State of Delaware

**AGENCY**: State Agency as noted on cover sheet.

**BIDDER OR VENDOR**: Any individual, firm, or corporation formally submitting a proposal for the material or work contemplated, acting directly or through a duly authorized representative.

**BID INVITATION**: The "invitation to bid" or "Request for Proposal" is a packet of material sent to vendors and consists of General Provisions, Special Provisions, specifications, and enclosures.

**BOND**: The approved form of security furnished by the Vendors and its surety as a guaranty of good faith on the part of the Vendor to execute the work in accordance with the terms of the contract.

**CONTRACT**: The written agreement covering the furnishing and delivery of material or work to be performed.

**DESIGNATED OFFICIAL**: The agent authorized to act for an Agency.

**GENERAL PROVISIONS**: General Provisions are instructions pertaining to contracts in general. They contain, in summary, requirements of laws of the State, policies of the Agency, and instructions to vendors.

**LOCAL TIME**: Eastern Standard Time/Eastern Daylight Time

**OPPORTUNITY BUY**: A special offer from a supplier that is usually associated with a limited time to respond.

**PROPOSAL**: The offer of the Vendor submitted on the approved form and setting forth the Vendor's prices for performing the work or supplying the material or equipment described in the specifications.

RFP: Request for Proposal.

**SPECIAL PROVISIONS**: Special Provisions are specific conditions or requirements peculiar to the contract under consideration and are supplemental to the General Provisions. Should the Special Provisions conflict with the General Provisions, the Special Provisions shall prevail.

**SURETY**: The corporate body which is bound with and for the contract, or which is liable, and which engages to be responsible for the Vendor's payments of all debts pertaining to and for its acceptable performance of the work for which he has contracted

**VENDOR'S DEPOSIT**: The security designated in the proposal to be furnished by the Vendor as a guaranty of good faith to enter into a contract with the Agency if the work to be performed or the material or equipment to be furnished is awarded to it.

#### **B. GENERAL PROVISIONS**

#### 1. INTERPRETATION OF ESTIMATES/QUANTITIES

- a. Unless stated otherwise, the quantities given in the RFP are to be considered to be approximate only and are given as a basis for the comparison of bids. The Agency may increase or decrease the amount of any item as may be deemed necessary or expedient, during the period of the contract. Bidders shall recognize there are no guaranteed minimum contract quantities or values associated with this solicitation.
- **b.** An increase or decrease in the quantity for any item is not sufficient ground for an increase or decrease in the unit price.

**c.** Vendor usage reports for previous awards may be found at <a href="http://contracts.delaware.gov/">http://contracts.delaware.gov/</a> and referring to the prior award contract page. Past usage shall not be considered a guaranteed future volume.

### 2. SILENCE OF SPECIFICATIONS

The apparent silence of the specifications as to any detail, or the apparent omission from it of detailed description concerning any point, shall be regarded as meaning that only the best commercial practice is to prevail and only material and workmanship of the first quality are to be used. Proof of specifications compliance will be the responsibility of the vendor.

### 3. EXAMINATION OF SPECIFICATIONS AND PROVISIONS

The Vendor shall examine carefully the proposal and the contract forms for the material contemplated. The Vendor shall investigate and satisfy itself as to the conditions to be encountered, quality and quantities of the material to be furnished, and the requirements of any Special Provisions in the RFP and the contract. The submission of a proposal shall be conclusive evidence that the Vendor has made examination of the aforementioned conditions.

#### 4. PRICES QUOTED

The prices quoted are those for which the material will be furnished F.O.B. Ordering Agency and include all charges that may be imposed during the period of the contract. **All prices quoted must be in U.S. Dollars.** 

All vendors that maintain a core list of products under this contract shall maintain the appropriate negotiated prices on their core list. Vendors shall routinely offer to add to the core list materiel that has been identified as necessary. The Vendors are expected to routinely update any changes to the core list with the appropriate discounts listed.

Any adjustments to a core list must receive prior written approval from the State before a core list can be changed by the Vendor. Changes include but are not limited to the migration of items on and off the core list as well as any price adjustments from the original agreed upon pricing.

### 5. PUBLIC INSPECTION OF PROPOSALS

All documents submitted as part of the vendor's proposal will be deemed confidential during the evaluation process. Vendor proposals will not be available for review by anyone other than the State of Delaware/Proposal Evaluation Committee or its designated agents. There shall be no disclosure of any vendor's information to a competing vendor prior to award of the contract.

The State of Delaware is a public agency as defined by state law, and as such, it is subject to the Delaware Freedom of Information Act, 29 Del. C. Ch. 100. Under the law, all the State of Delaware's records are public records (unless otherwise declared by law to be confidential) and are subject to inspection and copying by any person. Vendor(s) are advised that once a proposal is received by the State of Delaware and a decision on contract award is made, its contents will become public record and nothing contained in the proposal will be deemed to be confidential except proprietary information.

Vendor(s) shall not include any information in their proposal that is proprietary in nature or that they would not want to be released to the public. Proposals must contain sufficient information to be evaluated and a contract written without reference to any proprietary information. If a vendor feels that they cannot submit their proposal without including proprietary information, they must adhere to the following procedure or their proposal may be deemed unresponsive and will not be recommended for selection. Vendor(s) must submit such information in a separate, sealed envelope labeled "Proprietary Information" with the RFP number. The envelope must contain a letter from the Vendor's legal counsel describing the documents in the envelope, representing in good faith that the information in each document is not "public record" as defined by 29 Del. C. § 10002(d), and briefly stating the reasons that each document meets the said definitions.

Upon receipt of a proposal accompanied by such a separate, sealed envelope, the State of Delaware will open the envelope to determine whether the procedure described above has been followed.

#### 6. LAWS TO BE OBSERVED

The Vendor is presumed to know and shall strictly comply with all Federal, State, or County laws, and City or Town ordinances and regulations in any manner affecting the conduct of the work. The Vendor shall indemnify and save harmless the State of Delaware, the Agency, and all Officers, Agency and Servants thereof against any claim or liability arising from or based upon the violation of any such laws, ordinances, regulations, orders, or decrees whether by itself, by its employees, or by its subcontractor (s).

#### 7. APPLICABLE LAW AND JURISDICTION

This bid, any resulting contract, and any and all litigation or other disputes arising therefrom, in connection with, or related hereto shall be governed by the applicable laws, regulations and rules of evidence of the State of Delaware. Bidder submits to personal jurisdiction in the State of Delaware. Any and all litigation or other disputes arising out of, in connection with, or relating to this bid, and any resulting contract, shall be brought exclusively in a court in the State of Delaware or the United States District Court of the District of Delaware as applicable.

# 8. SEVERABILITY

If any term or provision of this Agreement is found by a court of competent jurisdiction to be invalid, illegal or otherwise unenforceable, the same shall not affect the other terms or provisions hereof or the whole of this Agreement, but such term or provision shall be deemed modified to the extent necessary in the court's opinion to render such term or provision enforceable, and the rights and obligations of the parties shall be construed and enforced accordingly, preserving to the fullest permissible extent the intent and agreements of the parties herein set forth.

### 9. PERMITS AND LICENSES

All necessary permits, licenses, insurance policies, etc. required by local, State or Federal laws, shall be provided by the Vendor at its own expense.

### 10. PATENTED DEVICES, MATERIAL AND PROCESSES

- **a.** The Vendor shall provide for the use of any patented design, device, material, or process to be used or furnished under this contract by suitable legal agreement with the patentee or owner, and shall file a copy of this agreement with the Agency.
- **b.** The Vendor and the surety shall hold and save harmless the State of Delaware, the Agency, the Director, their Officers or Agents from any and all claims because of the use of such patented design, device, material, or process in connection with the work agreed to be performed under this contract.

#### 11. EMERGENCY TERMINATION OF CONTRACT

- **a.** Due to restrictions which may be established by the United States Government on material, or work, a contract may be terminated by the cancellation of all or portions of the contract.
- b. In the event the Vendor is unable to obtain the material required to complete the items of work included in the contract because of restrictions established by the United States Government and if, in the opinion of the Agency, it is impractical to substitute other available material, or the work cannot be completed within a reasonable time, the incomplete portions of the work may be cancelled, or the contract may be terminated.

#### 12. TAX EXEMPTION

- **a.** Material covered by this proposal is exempt from all FEDERAL and STATE TAXES. Such taxes shall not be included in prices quoted.
- **b.** Any material which is to be incorporated in the work or any equipment required for the work contemplated in the proposal may be consigned to the Agency. If the shipping papers show clearly that any such material is so consigned, the shipment will be exempt from the tax on the transportation of property under provisions of Section 3475 (b) of the Internal Revenue Code, as amended by Public Law 180 (78th Congress). All transportation charges shall be paid by the Vendor. Each Vendor shall take its exemption into account in calculating its bid for its work.

#### 13. INVOICING

After the awards are made, the agencies participating in the bid may forward their purchase orders ("P.O.") to the successful Vendor(s) in accordance with State Purchasing Procedures. The State will generate a payment voucher upon receipt of an acceptable invoice from the vendor.

#### 14. EQUALITY OF EMPLOYMENT OPPORTUNITY ON PUBLIC WORKS

During the performance of any contract for public works financed in whole or in part by appropriation of the State of Delaware, the contractor agrees as follows:

- a. The contractor, as set forth in Title 19 Delaware Code Chapter 7 section 711, will not discriminate against any employee or applicant for employment with respect to compensation, terms, conditions or privileges of employment because of such individual's race, marital status, genetic information, color, age, religion, sex, sexual orientation, gender identity, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated equally during employment without regard to their race, marital status, genetic information, color, age, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following: advertising, lay-off or termination, rates of pay or other forms of compensation, and selection for training including apprenticeships. The contractor agrees to post in conspicuous places, notices to be provided by the contracting agency setting forth the provisions of this non-discrimination clause.
- **b.** During the performance of this contract, the contractor agrees as follows:
  - 1. The contractor, as set forth in Title 19 Delaware Code Chapter 7 section 711, will not discriminate against any individual with respect to compensation, terms, conditions or privileges of employment because of such individual's race, marital status, genetic information, color, age, religion, sex, sexual orientation, gender identity, or national origin. The contractor will take positive steps to ensure that applicants are employed and that employees are treated during employment without regard to their race, marital status, genetic information, color, age, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places available to employees and applicants for employment notices to be provided by the contracting agency setting forth this nondiscrimination clause.
  - 2. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, marital status, genetic information, color, age, religion, sex, sexual orientation, gender identity, or national origin."
- **c.** The term "contractor for public works" means construction, reconstruction, demolition, alteration, and/or repair work, maintenance work, and paid for in whole or in part out of the funds of a public body except work performed under a vocational rehabilitation program. The manufacture or furnishing of materials, articles, supplies or equipment is not a public work within the meaning of this subsection unless conducted in connection with and at the site of the public work.

#### 15. PRICES

Prices and/or rates shall remain firm for the initial one (1) year term of the contract, unless further negotiations are deemed necessary by the State.

The pricing policy that you choose to submit must address the following concerns:

- **a.** The structure must be clear, accountable and auditable.
- **b.** It must cover the full spectrum of services required.
- **c.** Costs and compensation must be consistent with the rates established or negotiated as a result of this RFP or P.O. issued based on this contract.

### 16. COOPERATIVES

Vendors, who have been awarded similar contracts through a competitive bidding process with a cooperative, are welcome to submit the cooperative pricing for this solicitation.

#### 17. PRICE ADJUSTMENT

The Vendor is not prohibited from offering a price reduction on its services or materiel offered under the contract. The State is not prohibited from requesting a price reduction on those services or materiel during the initial term or any subsequent options that the State may agree to exercise.

If agreement is reached to extend this contract beyond the initial one year period, Government Support Services shall have the option of offering a determined price adjustment that shall not exceed the current Philadelphia All Urban Consumers Price Index (CPI-U), U.S. City Average. If the CPI-U is used, any increase/decrease shall reflect the change during the previous published twelve (12) month period at the time of renegotiation.

#### **18. SHIPPING TERMS**

FOB Destination, freight prepaid.

#### 19. ELECTRONIC CATALOG

At the discretion of Government Support Services, the successful vendor(s) may be required to submit their items list in an electronic format designated by the State.

By example, but not limited to, the following items may be required:

- Electronic catalogs,
- Electronic catalogs converted to a CSV format with contract specific pricing,
- Items designated by commodity/classification code: United Nations Standard Products and Services Code (UNSPSC), and/or
- A unique item ID for all items in your system and/or our award.

# **20. INDEPENDENT CONTRACTORS**

The parties to any contract from this solicitation shall be independent contractors to one another, and nothing herein shall be deemed to cause the agreement to create an agency, partnership, joint venture or employment relationship between parties. Each party shall be responsible for compliance with all applicable workers compensation, unemployment, disability insurance, social security withholding and all other similar matters. Neither party shall be liable for any debts, accounts, obligations or other liability whatsoever of the other party or any other obligation of the other party to pay on the behalf of

its employees or to withhold from any compensation paid to such employees any social benefits, workers compensation insurance premiums or any income or other similar taxes.

# 21. TEMPORARY PERSONNEL ARE NOT STATE EMPLOYEES UNLESS AND UNTIL THEY ARE DIRECTLY HIRED

Vendor agrees that any individual or group of temporary staff person(s) provided to the State of Delaware pursuant to this Solicitation shall remain the employee(s) of Vendor for all purposes including any required compliance with the Affordable Care Act by the Vendor. Vendor agrees that it shall not allege, argue, or take any position that individual temporary staff person(s) provided to the State pursuant to this Solicitation must be provided any benefits, including any healthcare benefits by the State of Delaware and Vendor agrees to assume the total and complete responsibility for the provision of any healthcare benefits required by the Affordable Care Act to aforesaid individual temporary staff person(s). In the event that the Internal Revenue Service, or any other third party governmental entity determines that the State of Delaware is a dual employer or the sole employer of any individual temporary staff person(s) provided to the State of Delaware pursuant to this Solicitation, Vendor agrees to hold harmless, indemnify, and defend the State to the maximum extent of any liability to the State arising out of such determinations.

Notwithstanding the content of the preceding paragraph, should the State of Delaware subsequently directly hire any individual temporary staff employee(s) provided pursuant to this Solicitation, the aforementioned obligations to hold harmless, indemnify, and defend the State of Delaware shall cease and terminate for the period following the date of hire. Nothing herein shall be deemed to terminate the Vendor's obligation to hold harmless, indemnify, and defend the State of Delaware for any liability that arises out of compliance with the ACA prior to the date of hire by the State of Delaware. Vendor will waive any separation fee provided an employee works for both the vendor and hiring agency, continuously, for a three (3) month period and is provided thirty (30) days written notice of intent to hire from the agency. Notice can be issued at second month if it is the State's intention to hire.

#### 22. ACA SAFE HARBOR

The State and its utilizing agencies are not the employer of temporary or contracted staff. However, the State is concerned that it could be determined to be a Common-law Employer as defined by the Affordable Care Act ("ACA"). Therefore, the State seeks to utilize the "Common-law Employer Safe Harbor Exception" under the ACA to transfer health benefit insurance requirements to the staffing company. The Common-law Employer Safe Harbor Exception can be attained when the State and/or its agencies are charged and pay for an "Additional Fee" with respect to the employees electing to obtain health coverage from the Vendor.

The Common-law Employer Safe Harbor Exception under the ACA requires that an Additional Fee must be charged to those employees who obtain health coverage from the Vendor, but does not state the required amount of the fee. The State requires that all Vendors shall identify the Additional Fee to obtain health coverage from the Vendor and delineate the Additional Fee from all other charges and fees. The Vendor shall identify both the Additional Fee to be charged and the basis of how the fee is applied (i.e. per employee, per invoice, etc.). The State will consider the Additional Fee and prior to award reserves the right to negotiate any fees offered by the Vendor. Further, the Additional Fee shall be separately scored in the proposal to ensure that neither prices charged nor the Additional Fee charged will have a detrimental effect when selecting vendor(s) for award.

#### 23. FUNDING OUT or NON-APPROPRIATION

In the event the General Assembly fails to appropriate the specific funds necessary to enter into or continue the contractual agreement, in whole or part, the agreement shall be terminated as to any obligation of the State requiring the expenditure of money for which no specific appropriation is available at the end of the last fiscal year for which no appropriation is available or upon the exhaustion of funds.

### 24. MANDATORY INSURANCE REQUIREMENTS

As a part of the contract requirements, the contractor must obtain at its own cost and expense and keep in force and effect during the term of this contract, including all extensions, the minimum coverage limits specified below with a carrier satisfactory to the State. All contractors must carry the following coverage depending on the type of service or product being delivered.

**a.** Commercial General Liability - \$1,000,000 per occurrence/\$3,000,000 aggregate,

and

**b.** Medical/Professional Liability - \$1,000,000 per occurrence/\$3,000,000 aggregate,

or

c. Miscellaneous Errors and Omissions - \$1,000,000 per occurrence/\$3,000,000 aggregate,

or

**d.** Product Liability - \$1,000,000 per occurrence/\$3,000,000 aggregate,

and

**e.** Automotive Liability Insurance covering all automotive units used in the work with limits of not less than \$100,000 each person and \$300,000 each accident as to bodily injury and \$25,000 as to property damage to other,

and

**f.** The vendor shall maintain such insurance as will protect against claims under Worker's Compensation Act and from any other claims for damages for personal injury, including death, which may arise from operations under this contract. The vendor is an independent contractor and is not an employee of the State of Delaware.

All contractors must carry (a), (e), and (f), and at least one of (b), (c), or (d), depending on the type of service or product being delivered.

Before any work is done with the State, a Certificate of Insurance referencing the name and contract number stated herein, shall be filed with the State. The certificate holder is as follows:

State of Delaware
Government Support Services
Contract # GSS16071-CUSTOM\_UNFRM
100 Enterprise Place, Suite 4
Dover, DE 19904-8202

Note: The State of Delaware shall not be named as an additional insured.

Should any of the above described policies be cancelled before the expiration date thereof, notice will be delivered in accordance with the policy provisions.

### 25. STATE OF DELAWARE BUSINESS LICENSE

Prior to receiving an award, the successful Vendor shall either furnish the Agency with proof of State of Delaware Business Licensure or initiate the process of application where required. An application may be requested in writing to: Division of Revenue, Carvel State Building, P.O. Box 8750, 820 N. French Street, Wilmington, DE 19899 or by telephone to one of the following numbers: 302-577-8778. http://revenue.delaware.gov/services/BusServices.shtml

Information regarding the award of this contract will be given to the Division of Revenue. Failure to comply with the State of Delaware licensing requirements may subject your organization to applicable fines and/or interest penalties.

#### **26. INDEMNIFICATION**

- a. General Indemnification: By submitting a proposal, the proposing vendor agrees that in the event it is awarded a contract, it will indemnify and otherwise hold harmless the State of Delaware, its agents and employees from any and all liability, suits, actions, or claims, together with all costs, expenses for attorney's fees, arising out of the vendor's its agents and employees' performance work or services in connection with the contract, regardless of whether such suits, actions, claims or liabilities are based upon acts or failures to act attributable, in whole or part, to the State, its employees or agents.
- b. Proprietary Rights Indemnification: Vendor shall warrant that all elements of its solution, including all equipment, software, documentation, services and deliverables, do not and will not infringe upon or violate any patent, copyright, trade secret or other proprietary rights of any third party. In the event of any claim, suit or action by any third party against the State of Delaware, the State of Delaware shall promptly notify the vendor in writing and vendor shall defend such claim, suit or action at vendor's expense, and vendor shall indemnify the State of Delaware against any loss, cost, damage, expense or liability arising out of such claim, suit or action (including, without limitation, litigation costs, lost employee time, and counsel fees) whether or not such claim, suit or action is successful.

If any equipment, software, services (including methods) products or other intellectual property used or furnished by the vendor (collectively ""Products") is or in vendor's reasonable judgment is likely to be, held to constitute an infringing product, vendor shall at its expense and option either:

- 1. Procure the right for the State of Delaware to continue using the Product(s);
- 2. Replace the product with a non-infringing equivalent that satisfies all the requirements of the contract; or
- 3. Modify the Product(s) to make it or them non-infringing, provided that the modification does not materially alter the functionality or efficacy of the product or cause the Product(s) or any part of the work to fail to conform to the requirements of the Contract, or only alters the Product(s) to a degree that the State of Delaware agrees to and accepts in writing.

#### 27. NON-PERFORMANCE

In the event the Vendor does not fulfill its obligations under the terms and conditions of this contract, in addition to proceeding with termination of the contract, the ordering agency may terminate any individual orders in accordance with General Provisions, Item 47 below and purchase equivalent product on the open market. Regarding any such open market purchase, payment for any difference in cost or expense in excess of the contract prices for reasonably equivalent products or services herein shall be the responsibility of the Vendor and shall be submitted to the State no later than 30 days following the delivery of the State's invoice detailing the open market purchase. Under no circumstances shall monies be due the Vendor in the event open market products can be obtained below contract cost. Any monies charged to the Vendor may be deducted from an open invoice.

#### 28. FORCE MAJEURE

Neither the vendor nor the ordering agency shall be held liable for non-performance under the terms and conditions of this contract due, but not limited to, government restriction, strike, flood, fire, or unforeseen catastrophe beyond either party's control. Each party shall notify the other in writing of any situation that may prevent performance under the terms and conditions of this contract.

#### 29. VENDOR NON-ENTITLEMENT

State of Delaware Vendors for Materiel and for Services shall not have legal entitlement to utilize any Central Contract held by the State of Delaware. The Vendors may not seek business from another Vendors' Central Contract for the purpose of preparing a bid or proposal to the State of Delaware. Additionally, they shall not utilize other Central Contracts to fulfill the requirements of their respective contract unless they are considered a "Covered Agency" as defined by Title 29 Chapter 69 of the State Procurement Code or otherwise permitted by law.

This is not a prohibition from any Vendor choosing to work with another Vendor who holds a State Central Contract for private business.

#### **30. OPPORTUNITY BUYS**

The Director for the State of Delaware, Office of Management and Budget, Government Support Services can waive use of a central contract pursuant to 29 Del. C. §6911(e). A process has been developed to permit any vendor the opportunity to submit an Opportunity Buy offer to the State for goods and/or services for consideration despite the existence of a central contract. See <a href="http://gss.omb.delaware.gov/contracting/documents/agencyboilers/opportunity\_buy\_flowchart.pdf">http://gss.omb.delaware.gov/contracting/documents/agencyboilers/opportunity\_buy\_flowchart.pdf</a>. The Director will afford any vendor on an existing central contract an opportunity to match or to beat the Opportunity Buy offer made by a non-contracted vendor prior to a waiver being granted.

#### 31. I FOUND IT CHEAPER

Director for the State of Delaware, Office of Management and Budget, Government Support Services can waive use of a central contract pursuant to 29 Del. C. §6911(e). A process has been developed to permit any State employee or Vendor to identify a lower price for material and or services for consideration despite the existence of a central contract. See <a href="http://gss.omb.delaware.gov/contracting/documents/agencyboilers/opportunity\_buy\_found\_cheaper\_flowchart.pdf">http://gss.omb.delaware.gov/contracting/documents/agencyboilers/opportunity\_buy\_found\_cheaper\_flowchart.pdf</a>. The Director will afford any Vendor on an existing central contact an opportunity to match or to beat the I Found It Cheaper suggestion and if not matched or beaten, approve the purchase via a waiver.

#### 32. REQUIRED REPORTING

One of the primary goals in administering this contract is to keep accurate records regarding its actual value/usage. This information is essential in order to update the contents of the contract and to establish proper bonding levels, if they are required. The integrity of future contracts revolves around our ability to convey accurate and realistic information to all interested parties.

A complete and accurate Usage Report (Attachment 8) shall be furnished in an Excel format and submitted electronically, no later than the 15th (or next business day after the 15th day) of each month, detailing the purchasing of all items on this contract. The reports shall be submitted and sent as an attachment to <a href="mailto:vendorusage@state.de.us">vendorusage@state.de.us</a>. Submitted reports shall contain accurate descriptions of the products, goods or services procured, purchasing agency information, including the six-digit department and organization code, quantities procured and prices paid. Any exception to this mandatory requirement or failure to submit complete reports, or in the format required, may result in corrective action, up to and including the possible cancellation of the award. Failure to provide the report with the minimum required information may also negate any contract extension clauses. Additionally, Vendors who are determined to be in default of this mandatory report requirement may have such conduct considered against them, in assessment of responsibility, in the evaluation of future proposals.

In accordance with Executive Order 44, the State of Delaware is committed to supporting its diverse business industry and population. The successful Vendor will be required to accurately report on the participation by Diversity Suppliers which includes: minority (MBE), woman (WBE), veteran owned business (VOBE), or service disabled veteran owned business (SDVOBE) under this awarded contract. The reported data elements shall include but not be limited to; name of state contract/project, the name of the Diversity Supplier, Diversity Supplier contact information (phone, email), type of product or service provided by the Diversity Supplier and any minority, women, veteran, or service disabled veteran certifications for the subcontractor (State OSD certification,

Minority Supplier Development Council, Women's Business Enterprise Council, VetBiz.gov). The format used for Subcontracting 2nd Tier reporting is shown as Attachment 9.

Accurate 2nd Tier reports shall be submitted to the contracting Agency's Office of Supplier Diversity at <a href="mailto:vendorusage@state.de.us">vendorusage@state.de.us</a> on the 15th (or next business day) of the month following each quarterly period. For consistency quarters shall be considered to end the last day of March, June, September and December of each calendar year. Contract spend during the covered periods shall result in a report even if the contract has expired by the report due date.

#### 33. ORDERING PROCEDURE

Successful Vendors are required to have either a local telephone number within the (302) area code, a toll free (800) number, or agree to accept collect calls. Depending on the nature and scope of the event, each State agency or other governmental entity shall be responsible for contacting the awarded vendor directly for all required resources. All consumables delivered by the Vendor and received by a State agency or other governmental entity, become the property of that State agency or entity. Orders may be accomplished by written purchase order, telephone, email, fax or computer on-line systems.

#### 34. PURCHASE ORDERS

Agencies that are part of the First State Financial (FSF) system are required to identify the contract number GSS16071-CUSTOM\_UNFRM on all Purchase Orders (P.O.) and shall complete the same when entering P.O. information in the state's financial reporting system.

### 35. BILLING

The Vendor is required to "Bill as Shipped" to the respective ordering agency(s). Ordering agencies shall provide contract number, ship to and bill to address, contact name and phone number. The Vendor shall not charge a late fee that exceeds more than one percent (1%) per month, not to exceed twelve percent (12%) per annum.

Agencies will make every effort to achieve available discount opportunities under this contract. Vendors shall be required to report semi-annually opportunities to enhance the discounts achieved.

### **36. METHOD OF PAYMENT**

- **a.** For each P.O. issued as part of this contract, the State will pay Vendor monthly, within thirty (30) days of receipt of the Vendor's billing, the amount which is legitimately earned by the Vendor, and supported by payroll data and an itemized accounting of reasonable reimbursable direct non-salary costs. A current progress report of the work shall accompany each billing.
  - Final settlement for total payment to the Vendor will be made within thirty (30) days from the date of final written State acceptance of the work and services as agreed to in the P.O.
- **b.** No premium time for overtime will be paid without prior written State authorization. Indirect overhead cost shall not be applied to the premium portion of the overtime.
- c. The agencies or school districts using this award will authorize and process for payment each invoice within thirty (30) days after the date of receipt of a correct invoice. The State of Delaware intends to maximize the use of the P-Card for payment for goods and services provided under

contract. Vendors shall not charge additional fees for acceptance of this payment method and shall incorporate any costs into their proposals. Additionally there shall be no minimum or maximum limits on any P-Card transaction under the contract. While it is the State's intention to utilize the P-card payment method the State reserves, at its discretion, the right to pay by ACH/ACI or check. Should a Vendor wish to provide a financial incentive to not process payment by P-Card in their proposal, they are to prepare their proposals to clearly outline any incentives for alternative payment methods the Vendor is willing to accept.

# **37. PRODUCT SUBSTITUTION**

All items or services delivered during the life of the contract shall be of the same type and manufacture as specified or accepted as part of the proposal unless specific approval is given by the Agency to do otherwise. Awarded vendors are highly encouraged to offer any like substitute product (s), either generic or brand name, at any time during the subsequent contract term, especially if an opportunity for cost savings to the state exists. In all cases, the state may require the submission of written specifications and/or product samples for evaluation prior to any approvals being granted.

If a substitution is granted by the state, the Vendor must update its core list and maintain said list in a timely manner.

#### 38. SCHEDULE FOR PERFORMANCE OF WORK

All work described in these specifications shall be completed with reasonable promptness. As used in this Section, the State of Delaware shall be the sole judge of the term "reasonable". If the Vendor does not begin the work in a reasonable amount of time, they will be notified that if they fail to initiate the work promptly, the contract may be terminated and the State will forthwith proceed to collect for nonperformance of work.

#### 39. VENDOR RESPONSIBILITY

The State will enter into a contract with the successful Vendor(s). The successful Vendor(s) shall be responsible for all products and services as required by this RFP whether or not the Vendor or its subcontractor provided final fulfillment of the order. Subcontractors, if any, shall be clearly identified in the Vendor's proposal by completing Attachment 7, and are subject the approval and acceptance of Government Support Services.

#### 40. VENDOR- OWNED RENTAL EQUIPMENT AND SUPPLIES REMOVAL

The awarded Vendor shall remove all rental equipment and supplies from the event location (s) no later than an agreed to date once all contract obligations by the Vendor have been met.

# 41. ENVIRONMENTAL PROCUREMENT REQUIREMENTS

**a.** Energy Star - If applicable, the Vendor must provide products that earn the ENERGY STAR rating and meet the ENERGY STAR specifications for energy efficiency in order to keep overall event costs to a minimum. The Vendor is encouraged to visit <a href="www.energystar.gov">www.energystar.gov</a> for complete product specifications and updated lists of qualifying products.

- **b.** Green Products third party certification of green products accepted from GSS w/approved green certification shall be offered wherever available in addition to or as a substitute for non-green products.
- **c.** Vendors shall report all green items procured during the monthly reporting period using the Usage Report that will be provided to the awarded Vendor(s).
- d. Environmental Procurement Policies of the State shall determine acceptable consideration and credit for environmentally preferred products and services in the performance of this award. The State Environmental Procurement Policies may be found: <a href="http://www.gss.omb.delaware.gov/contracting/documents/environmentally-preferred-purchasing-policy.pdf">http://www.gss.omb.delaware.gov/contracting/documents/environmentally-preferred-purchasing-policy.pdf</a>

# **42. PERSONNEL, EQUIPMENT AND SERVICES**

- **a.** The Vendor represents that it has, or will secure at its own expense, all personnel required to perform the services required under this contract.
- **b.** All of the equipment and services required hereunder shall be provided by or performed by the Vendor or under its direct supervision, and all personnel, including subcontractors, engaged in the work shall be fully qualified and shall be authorized under State and local law to perform such services.
- **c.** None of the equipment and/or services covered by this contract shall be subcontracted without the prior written approval of the State. Only those subcontractors identified in Attachment 7 are considered approved upon award. Changes to those subcontractor(s) listed in Attachment 7 must be approved in writing by the State.

### 43. FAIR BACKGROUND CHECK PRACTICES

Pursuant to 29 Del. C. §6909B, the State does not consider the criminal record, criminal history, credit history or credit score of an applicant for state employment during the initial application process unless otherwise required by state and/or federal law. Vendors doing business with the State are encouraged to adopt fair background check practices. Vendors can refer to 19 Del. C. §711(g) for applicable established provisions.

#### 44. VENDOR BACKGROUND CHECK REQUIREMENTS

Vendor(s) selected for an award that access state property or come in contact with vulnerable populations, including children and youth, shall be required to complete background checks on employees serving the State's on premises contracts. Unless otherwise directed, at a minimum, this shall include a check of the following registry:

 Delaware Sex Offender Central Registry at: https://sexoffender.dsp.delaware.gov/

Individuals that are listed in the registry shall be prevented from direct contact in the service of an awarded state contract, but may provide support or off-site premises service for contract vendors. Should an individual be identified and the Vendor(s) believes their employee's service does not represent a conflict with this requirement, may apply for a waiver to the primary agency listed in the solicitation. The Agency's decision to allow or deny access to any individual identified on a registry

database is final and at the Agency's sole discretion.

By Agency request, the Vendor(s) shall provide a list of all employees serving an awarded contract, and certify adherence to the background check requirement. Individual(s) found in the central registry in violation of the terms stated, shall be immediately prevented from a return to state property in service of a contract award. A violation of this condition represents a violation of the contract terms and conditions, and may subject the Vendor to penalty, including contract cancellation for cause.

Individual contracts may require additional background checks and/or security clearance(s), depending on the nature of the services to be provided or locations accessed, but any other requirements shall be stated in the contract scope of work or be a matter of common law. The Vendor(s) shall be responsible for the background check requirements of any authorized Subcontractor providing service to the Agency's contract.

#### 45. DRUG TESTING REQUIREMENTS FOR LARGE PUBLIC WORKS

Pursuant to 29 Del.C. §6908(a)(6), effective as of January 1, 2016, OMB has established regulations that require Contractors and Subcontractors to implement a program of mandatory drug testing for Employees who work on Large Public Works Contracts funded all or in part with public funds. The regulations establish the mechanism, standards and requirements of a Mandatory Drug Testing Program that will be incorporated by reference into all Large Public Works Contracts awarded pursuant to 29 Del.C. §6962.

Final publication of the identified regulations can be found at the following:

4104 Regulations for the Drug Testing of Contractor and Subcontractor Employees Working on Large
Public Works Projects

### **46. MINIMUM WAGE RATES**

Work performed under this solicitation may fall under the <u>State of Delaware Minimum Wage Rates</u> or the Delaware Prevailing Wage rates. Prior to issuing a purchase order, the ordering agencies must obtain from the Department of Labor a determination if prevailing wage applies to the project and, if appropriate, what the applicable prevailing wage rates would be for the work to be performed. No work shall proceed without a determination by the Department of Labor. Request for prevailing wage certification can be found at: <a href="http://dia.delawareworks.com/labor-law/prevailing-wage.php">http://dia.delawareworks.com/labor-law/prevailing-wage.php</a>.

#### **47. PREVAILING WAGE**

The prevailing wage law, 29 Del.C.§6960, is enforced by the Department of Labor and states that the specifications for every contract or aggregate of contracts relating to a public works project in excess of \$500,000 for new construction (including painting and decorating) or \$45,000 for alteration, repair, renovation, rehabilitation, demolition or reconstruction (including painting and decorating of building or works) to which this State or any subdivision thereof is a party and for which the State appropriated any part of the funds and which requires or involves the employment of mechanics and/or laborers shall contain a provision stating the minimum wages to be paid various classes of laborers and mechanics which shall be based upon the wages that will be determined by the Delaware Department of Labor, Division of Industrial Affairs, to be prevailing in the county in which the work is to be performed.

#### **48. DISPUTE RESOLUTION**

At the option of, and in the manner prescribed by the Office of Management and Budget (OMB), the parties shall attempt in good faith to resolve any dispute arising out of or relating to this Agreement promptly by negotiation between executives who have authority to settle the controversy and who are at a higher level of management than the persons with direct responsibility for administration of this Agreement. All offers, promises, conduct and statements, whether oral or written, made in the course of the negotiation by any of the parties, their agents, employees, experts and attorneys are confidential, privileged and inadmissible for any purpose, including impeachment, in arbitration or other proceeding involving the parties, provided evidence that is otherwise admissible or discoverable shall not be rendered inadmissible.

If the matter is not resolved by negotiation, as outlined above, or, alternatively, OMB elects to proceed directly to mediation, then the matter will proceed to mediation as set forth below. Any disputes, claims or controversies arising out of or relating to this Agreement shall be submitted to mediation by a mediator selected by OMB, and if the matter is not resolved through mediation, then it shall be submitted, in the sole discretion of OMB, to the Office of Management and Budget, Government Support Services Director, for final and binding arbitration. OMB reserves the right to proceed directly to arbitration or litigation without negotiation or mediation. Any such proceedings held pursuant to this provision shall be governed by Delaware law and venue shall be in Delaware. The parties shall maintain the confidential nature of the arbitration proceeding and the Award, including the Hearing, except as may be necessary to prepare for or conduct the arbitration hearing on the merits. Each party shall bear its own costs of mediation, arbitration or litigation, including attorneys' fees.

#### 49. TERMINATION OF INDIVIDUAL ORDERS OR PURCHASE ORDERS

As a central contract, the contract resulting from this RFP shall include individual orders from state agencies and other entities authorized by law to procure from this contract. The individual orders may be terminated as follows:

- a. Termination for Cause: If, for any reasons, or through any cause, the Vendor fails to fulfill in timely and proper manner his obligations, or if the Vendor violates any of the covenants, agreements, or stipulations of this contract, the Agency shall have the right to terminate the P.O. by giving written notice to the Vendor of such termination and specifying the effective date thereof, at least five (5) days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, maps, models, photographs, and reports or other material prepared by the Vendor in the performance of the P.O. shall, at the option of the Agency, become its property, and the Vendor shall be entitled to receive just and equitable compensation for any satisfactory work completed on such documents and other materials which is usable to the Agency.
- b. Termination for Convenience: The Agency may terminate the P.O. at any time by giving written notice of such termination and specifying the effective date thereof, at least sixty (60) days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, models, photographs, reports, supplies, and other materials shall, at the option of the department, become its property and the Vendor shall be entitled to receive compensation for any satisfactory work completed on such documents and other materials which are usable to the Agency.

c. Termination for Non-Appropriations: In the event the General Assembly fails to appropriate the specific funds necessary to enter into or continue the contractual agreement, in whole or part, the agreement shall be terminated as to any obligation of the State requiring the expenditure of money for which no specific appropriation is available at the end of the last fiscal year for which no appropriation is available or upon the exhaustion of funds. This is not a termination for convenience and will not be converted to such.

### **50. TERMINATION OF CONTRACT**

As a central contract, the contract resulting from this RFP may be terminated as follows by Government Support Services.

a. Termination for Cause: If, for any reasons, or through any cause, the Vendor fails to fulfill in timely and proper manner its obligations under this Contract, or if the Vendor violates any of the covenants, agreements, or stipulations of this Contract, the State shall thereupon have the right to terminate this contract by giving written notice to the Vendor of such termination and specifying the effective date thereof, at least thirty (30) days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, maps, models, photographs, and reports or other material prepared by the Vendor under this Contract shall, at the option of the State, become its property, and the Vendor shall be entitled to receive just and equitable compensation for any satisfactory work completed on such documents and other materials which is usable to the State.

On receipt of the contract cancellation notice from the State, the Vendor shall have not less than five (5) days to provide a written response and may identify a method(s) to resolve the violation(s). A vendor response shall not effect or prevent the contract cancellation unless the State provides a written acceptance of the vendor response. If the State does accept the Vendor's method and/or action plan to correct the identified deficiencies, the State will define the time by which the Vendor must fulfill its corrective obligations. Final retraction of the State's termination for cause will only occur after the Vendor successfully rectifies the original violation(s). At its discretion the State may reject in writing the Vendor's proposed action plan and proceed with the original contract cancellation timeline.

- b. Termination for Convenience: The State may terminate this Contract at any time by giving written notice of such termination and specifying the effective date thereof, at least sixty (60) days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, models, photographs, reports, supplies, and other materials shall, at the option of the State, become its property and the Vendor shall be entitled to receive compensation for any satisfactory work completed on such documents and other materials, and which is usable to the State.
- c. Termination for Non-Appropriations: In the event the General Assembly fails to appropriate the specific funds necessary to enter into or continue the contractual agreement, in whole or part, the agreement shall be terminated as to any obligation of the State requiring the expenditure of money for which no specific appropriation is available at the end of the last fiscal year for which no appropriation is available or upon the exhaustion of funds. This is not a termination for convenience and will not be converted to such.

#### 51. CHANGES

Both parties may, from time to time, require changes in the services to be provided by the Vendor under the Scope of Work. Such changes, including any increase or decrease in the amount of the Vendor's compensation, which are mutually agreed upon by and between the Agency and the Vendor shall be incorporated in written amendments to the Purchase Order or contract.

# **52. INTEREST OF VENDOR**

The Vendor covenants that it presently has no interest and shall not acquire any interest, direct or indirect, which would conflict in any manner or degree in providing products or performing services required under this contract. The Vendor further covenants, that in the performance of this contract, no person having any such interest shall be employed.

# 53. PUBLICATION, REPRODUCTION AND USE OF MATERIAL

No material produced in whole or part under this contract shall be subject to copyright in the United States or in any other country. The State shall have unrestricted authority to publish, disclose, distribute and otherwise use, in whole or in part, any reports, data, or other materials prepared under this contract; provided, however, that the State agrees not to use any design or engineering plans prepared by the Vendor for anything other than their intended purpose under this Contract. The Vendor shall have the right to publish any and all scientific findings. Appropriate acknowledgment and credit for the State's support shall be given in the publication.

#### 54. RIGHTS AND OBLIGATIONS

The rights and obligations of each party to this agreement shall not be effective, and no party shall be bound by the terms of this agreement, unless and until a valid executed purchase order has been approved by the Secretary of Finance, and all procedures of the Department of Finance have been complied with. A separate purchase order shall be issued for every project or order.

# 55. ASSIGNMENT OF ANTITRUST CLAIMS

As consideration for the award and execution of this contract by the State, the Vendor hereby grants, conveys, sells, assigns, and transfers to the State of Delaware all of its right, title and interest in and to all known or unknown causes of action it presently has or may now or hereafter acquire under the antitrust laws of the United States and the State of Delaware, regarding the specific goods or services purchased or acquired for the State pursuant to this contract. Upon either the State's or the Vendor notice of the filing of or reasonable likelihood of filing of an action under the antitrust laws of the United States or the State of Delaware, the State and Vendor shall meet and confer about coordination of representation in such action.

## **56. TESTING AND INSPECTION**

The State of Delaware reserves the right to conduct any test or inspection it may deem necessary to insure equipment, materials and services conform to contract requirements.

#### **57. COVENANT AGAINST CONTINGENT FEES**

The Vendor warrants that no person or selling agency has been employed or retained to solicit or secure this contract upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, excepting bona fide employees. For breach or violation of this warranty, the State shall have the right to annul this contract without liability or in its discretion to deduct from the contract price or consideration, or otherwise recover, the full amount of such commission, percentage, brokerage, or contingent fees.

#### **58. GRATUITIES**

- a. If it is found, after notice and hearing, by the State that gratuities (in the form of entertainment, gifts, or otherwise) were offered or given by the Vendor or any agent of the State with a view toward securing a contract, or securing favorable treatment with respect to the awarding, amending, or the making of any determinations with respect to the performance of this contract, the State may, by written notice to the Vendor, terminate the right of the Vendor to proceed under this contract and/or may pursue such other rights and remedies provided by law or under this agreement; provided that the existence of the facts upon which the State makes such findings shall be in issue and may be reviewed in proceedings pursuant to the Remedies clause of this contract; and
- **b.** In the event this contract is terminated pursuant to subparagraph "a", the State shall be entitled (i) to pursue the same remedies against the Vendor, and (ii) to exemplary damages, as a penalty in addition to any other damages to which it may be entitled by law, in an amount which shall be not less than three, nor more than ten, times the costs incurred by the Vendor in providing any such gratuities to any such officer or employee. The amount of such exemplary damages shall be in the sole discretion of the State.

#### **59. AFFIRMATION**

The Vendor must affirm that within the past five (5) years the firm or any officer, controlling stockholder, partner, principal, or other person substantially involved in the contracting activities of the business is not currently suspended or debarred and is not a successor, subsidiary, or affiliate of a suspended or debarred business.

#### **60. AUDIT ACCESS TO RECORDS**

The Vendor shall maintain books, records, documents, and other evidence pertaining to this Contract to the extent and in such detail as shall adequately reflect performance hereunder. The Vendor agrees to preserve and make available to the State, upon request, such records for a period of five (5) years from the date services were rendered by the Vendor. Records involving matters in litigation shall be retained for one (1) year following the termination of such litigation. The Vendor agrees to make such records available for inspection, audit, or reproduction to any official State representative in the performance of their duties under the Contract. Upon notice given to the Vendor, representatives of the State or other duly authorized State or Federal agency may inspect, monitor, and/or evaluate the cost and billing records or other material relative to this Contract. The cost of any Contract audit disallowances resulting from the examination of the Vendor's financial records will be borne by the Vendor. Reimbursement to the State for disallowances shall be drawn from the Vendor's own resources and not charged to Contract cost or cost pools indirectly charging Contract costs.

#### 61. REMEDIES

Except as otherwise provided in this contract, all claims, counterclaims, disputes, and other matters in question between the State and the Vendor arising out of, or relating to, this contract, or a breach of it may be decided by arbitration if the parties mutually agree, or in a court of competent jurisdiction within the State of Delaware.

### **62. SUBCONTRACTS**

Subcontracting is permitted under this RFP and contract. However, every subcontractor or reseller shall be identified in the Proposal (Attachment 7) and agreed to in writing by the State or as are specifically authorized in writing by the Agency during the performance of the contract. Any substitutions in or additions to such subcontractors, associates, or consultants will be subject to the prior written approval of the State.

The Vendor(s) shall be responsible for compliance by the subcontractor with all terms, conditions and requirements of the RFP and with all local, State and Federal Laws. The Vendor shall be liable for any noncompliance by any subcontractor. Further, nothing contained herein or in any subcontractor agreement shall be construed as creating any contractual relationship between the subcontractor and the State.

### **63. AGENCY'S RESPONSIBILITIES**

The Agency shall:

- **a.** Examine and review in detail all letters, reports, drawings and other documents presented by the Vendor to the Agency and render to the Vendor in writing, findings and decisions pertaining thereto within a reasonable time so as not to delay the services of Vendor.
- **b.** Give prompt written notice to the Contractor whenever the Agency observes or otherwise becomes aware of any development that affects the scope or timing of the Contractor's services.
- c. When an ordering agency first experiences a relatively minor problem or difficulty with a vendor, the agency will contact the vendor directly and attempt to informally resolve the problem. This includes failure to perform by the date specified and any unacceptable difference(s) between the purchase order and the merchandise received. Ordering agencies should stress to vendors that they should expedite correction of the differences because failure to reply may result in an unfavorable rating in the execution of the awarded contract.
- d. The state has several remedies available to resolve non-performance issues with the contractor. The Agency should refer to the Contract Terms and Conditions to view these remedies. When a default occurs, the Agency should first review the contract to confirm that the issue is a part of the contract. If the issue is not covered by the contract, the state cannot expect the contractor to perform outside the agreement. If the issue is a part of the contract, the Agency or GSS Contracting must then contact the contractor, discuss the reasons surrounding the default and establish a date when the contractor will resolve the non-performance issue.

e. If there is a performance deficiency, a Corrective Action Report (CAR) may be used. Complete this form to report concerns with vendors or commodities. Be sure to furnish as much detail as possible. http://gss.omb.delaware.gov/divisionwide/forms.shtml.

#### **64. CONTRACT DOCUMENTS**

The Definitions and General Provisions and any Special Instructions, Specifications, Request for Proposal, Proposal, Purchase Order, and Contract shall be a part of and constitute the entire Agreement entered into by the State of Delaware and any Vendor. In the event there is any discrepancy between any of these contract documents, the following order of documents governs so that the former prevails over the latter:

- Contract
- Request for Proposal
- Specifications or Scope of Work
- Definitions & General Provisions
- Proposal
- Purchase Order
- Special Instruction

#### **65. ASSIGNMENT**

This contract shall not be assigned except by express prior written consent from the Agency.

#### 66. NOTICE

Any notice to the State of Delaware required under the contract shall be sent by registered mail to:

State of Delaware Government Support Services 100 Enterprise Place, Suite 4 Dover, DE 19904-8202

#### **67. VENDOR EMERGENCY RESPONSE POINT OF CONTACT**

The awarded vendor(s) shall provide the name(s), telephone, or cell phone number(s) of those individuals who can be contacted twenty four (24) hours a day, seven (7) days a week where there is a critical need for commodities or services when the Governor of the State of Delaware declares a state of emergency under the Delaware Emergency Operations Plan or in the event of a local emergency or disaster where a state governmental entity requires the services of the vendor. Failure to provide this information could render the proposal as non-responsive.

In the event of a serious emergency, pandemic or disaster outside the control of the State, the State may negotiate, as may be authorized by law, emergency performance from the Contractor to address the immediate needs of the State, even if not contemplated under the original Contract or procurement. Payments are subject to appropriation and other payment terms.

#### 68. NO PRESS RELEASES OR PUBLIC DISCLOSURE

The State of Delaware reserves the right to pre-approve any news or broadcast advertising releases concerning this solicitation, the resulting contract, the work performed, or any reference to the State of Delaware with regard to any project or contract performance. Any such news or advertising releases pertaining to this solicitation or resulting contract shall require the prior express written permission of the State of Delaware.

The State will not prohibit or otherwise prevent the awarded vendor(s) from direct marketing to the State of Delaware agencies, departments, municipalities, and/or any other political subdivisions, however, the Vendor shall not use the State's seal or imply preference for the solution or goods provided.

#### C. AWARD AND EXECUTION OF CONTRACT

#### 1. CONSIDERATION OF PROPOSALS

The right is reserved to waive technicalities, to reject any or all bids, or any portion thereof, to seek new proposals, to proceed to do the work otherwise, or to abandon the work, if in the judgment of the Agency or its agent, the best interest of the State will be promoted thereby.

#### 2. MATERIAL GUARANTY

Before any contract is awarded, the successful Vendor may be required to furnish a complete statement of the origin, composition and manufacture of any or all of the material to be used in the contract together with such samples as may be requested for the purpose of testing.

#### 3. AWARD OF CONTRACT

Within ninety (90) days from the date of opening proposals, the contract will be awarded or the proposals rejected.

#### 4. EXECUTION OF CONTRACT

The Vendor (s) to whom the award is made shall execute a formal contract within twenty (20) days after date of official notice of the award of the contract.

#### 5. WARRANTY

The successful Vendor(s) shall be required to extend any policy guarantee usually offered to the general public, FEDERAL, STATE, COUNTY, or MUNICIPAL governments, on material in this contract against defective material, workmanship, and performance.

#### 6. THE CONTRACT(S)

The contract(s) with the successful Vendor(s) will be executed with Government Support Services acting for all participating governmental entities.

#### 7. INFORMATION REQUIREMENT

The successful Vendor's shall be required to advise and provide Government Support Services of the gross costs associated with this contract.

#### VII. PROPOSAL REPLY SECTION for CONTRACT NO. GSS16071-CUSTOM UNFRM

#### **Custom Uniforms**

Please fill out the attached forms fully and completely and return with your proposal in a sealed envelope clearly displaying the contract number to the State of Delaware, Government Support Services by 1:00pm (Local Time) Tuesday, April 12, 2016 at which time bids will be opened.

#### NO MANDATORY PRE-BID MEETING

Proposals must be mailed to:

State of Delaware Government Support Services 100 Enterprise Place, Suite 4 Dover, DE 19904-8202

#### **PUBLIC PROPOSAL OPENINGS**

The public proposal opening insures the citizens of Delaware that contracts are being proposed fairly on a competitive basis and comply with Delaware procurement laws. The agency conducting the opening is required by law to publicly open the proposals at the time and place specified and the contract shall be awarded within ninety (90) days thereafter. The main purpose of the proposal opening is to reveal the name(s) of the Vendor(s), not to serve as a forum for determining the apparent low Vendors. The disclosure of additional information, including prices, shall be at the discretion of the contracting agency until such time that the responsiveness of each proposal has been determined.

After receipt of a fully executed contract(s), the Delaware public and all Vendors are invited to make an appointment with the agency in order to review pricing and other non-confidential information.

NOTE: ONLY THE VENDOR'S NAME AND ADDRESS WILL BE READ AT THE OPENING

**Attachment 1** 

#### NO PROPOSAL REPLY FORM

Contract No.: GSS16071-CUSTOM\_UNFRM Contract Title: Custom Uniforms

To assist us in obtaining good competition on our Request for Proposals, we ask that each firm that has received a proposal, but does not wish to bid, state their reason(s) below and return in a clearly marked envelope displaying the contract number. This information will not preclude receipt of future invitations unless you request removal from the Vendor's List by so indicating below, or do not return this form or bona fide proposal.

| 1. | We do not wish to participate in the proposal process.   |
|----|--|
| 2. | We do not wish to bid under the terms and conditions of the Request for Proposal document. Our objections are: |
| 3. | We do not feel we can be competitive.  |
| 4. | We cannot submit a Proposal because of the marketing or franchising policies of the manufacturing company.     |
| 5. | We do not wish to sell to the State. Our objections are:   |
| 6. | We do not sell the items/services on which Proposals are requested.  |
| 7. | Other:   |
|    |  |
|    | FIRM NAME SIGNATURE  |
|    | wish to remain on the Vendor's List for these goods or services.   |

PLEASE FORWARD NO PROPOSAL REPLY FORM TO THE CONTRACT OFFICER IDENTIFIED.

**Attachment 2** 

CONTRACT NO.: GSS16071-CUSTOM\_UNFRM TITLE: Custom Uniforms

DEADLINE TO RESPOND: 1:00pm Tuesday, April 12, 2016

#### **NON-COLLUSION STATEMENT**

This is to certify that the undersigned Vendor has neither directly nor indirectly, entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with this proposal, and further certifies that it is not a sub-contractor to another Vendor who also submitted a proposal as a primary Vendor in response to this solicitation submitted this date to the State of Delaware, Office of Management and Budget, Government Support Services.

It is agreed by the undersigned Vendor that the signed delivery of this bid represents, subject to any express exceptions set forth at Attachment 3, the Vendor's acceptance of the terms and conditions of this solicitation including all specifications and special provisions.

| NOTE: Signature of the authorized in   | representative <b>MUST</b> be of an indiv | vidual who legally may e | enter his/her organization into a fo | rmal contract wi | th the  |
|--|---|--------------------------|--------------------------------------|------------------|---|
| State of Delaware, Office of Manage  | ment and Budget, Government Su            | oport Services.          |                                      | Corporat         | ion   |
| COMPANY NAME   |   |                          | (Chaple and)                         |                  |   |
| COMPANY NAME   | (Cneck one)                               | Individua                | <u>ıl</u>                            |                  |   |
| NAME OF AUTHORIZED RE  | PRESENTATIVE                              |                          |                                      |                  |   |
| SIGNATURE  |   | Тї                       | TLE                                  |                  |   |
| COMPANY ADDRESS  |   |                          |                                      |                  |   |
| PHONE NUMBER   |   | FAX NU                   | MBER                                 |                  |   |
| EMAIL ADDRESS  |   |                          |                                      |                  |   |
| FEDERAL E.I. NUMBER  |   | STATE OF                 | F DELAWARE<br>NUMBER                 |                  |   |
|  |   | Certification type       | e(s)                                 |                  | _   |
|  | Minority Business Enterp                  | orise (MBE)              |                                      | Yes              | all that oly No No No No  |
| COMPANY  | Woman Business Enterp                     |                          |                                      | Yes              | No  |
| CLASSIFICATIONS:   | Disadvantaged Business                    |                          |                                      | Yes              | Circle all that apply Yes No |
| OFRT NO  | Veteran Owned Busines                     |                          | Yes                                  |                  |   |
| CERT. NO.:   | Service Disabled Vetera                   | n Owned Business         | Enterprise (SDVOBE)                  | Yes              | No  |
| PURCHASE ORDERS SHOULD BE<br>(COMPANY NAME)  ADDRESS   | [The above table is for in SENT TO:       |                          |                                      |                  |   |
| CONTACT  |   |                          |                                      |                  |   |
| PHONE NUMBER   |   | FAX NUMBE                | R                                    |                  |   |
| AFFIRMATION: Within the properties and properties and properties and properties are properties and properties and properties and properties are properties are properties and properties are properties are properties and properties are properties and properties are properties are properties and properties are properties are properties and properties are properties and properties are properties and properties are properties are properties and properties are properties and properties are properties and properties are properties are properties are properties and properties are properties are properties and properties are properties and properties are properties and properties are properties and properties are properties a | oprietor been the subject of              | a Federal, State, L      | ocal government suspension           | on or debarm     | er,<br>nent?  |
| THIS PAGE SHALL BE SIGI  | NED, NOTARIZED AND RE                     | TURNED FOR YO            | UR BID TO BE CONSIDE                 | RED              |   |
| SWORN TO AND SUBSCRIE  | BED BEFORE ME this                        | day of                   |                                      |                  |   |
| Notary Public  |   | My commi                 | ssion expires                        |                  |   |
| City of  | County of                                 |                          | State of                             |                  |   |

**Attachment 3** 

Contract No.: GSS16071-CUSTOM\_UNFRM
Contract Title: Custom Uniforms

#### **EXCEPTIONS FORM**

Proposals must include all exceptions to the specifications, terms or conditions contained in this RFP. If the vendor is submitting the proposal without exceptions, please state so below.

 $\square$  By checking this box, the Vendor acknowledges that they take no exceptions to the specifications, terms or conditions found in this RFP.

| Paragraph # and page # | Exceptions to Specifications, terms |                      |
|------------------------|-------------------------------------|----------------------|
| and page #             | or conditions                       | Proposed Alternative |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |
|                        |                                     |                      |

Note: Vendor may use additional pages as necessary, but the format shall be the same as provided above.

Attachment 4

Contract No.: **GSS16071-CUSTOM\_UNFRM**Contract Title: **Custom Uniforms** 

#### **COMPANY PROFILE & CAPABILITIES FORM**

Suppliers are required to provide a reply to each question listed below. Your replies will aid the evaluation committee as part of the overall qualitative evaluation criteria of this Request for Proposal. Your responses should contain sufficient information about your company so evaluators have a clear understanding of your company's background and capabilities. Failure to respond to any of these questions may result in your proposal to be rejected as non-responsive.

| 1. | Vendor is to identify the equipment used to produce the uniform pieces requested.  Manufacturer Name, Product Name/Number, Year. |
|----|--|
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
| 2. | Explain your record keeping process for completing initial fittings and uniform inspections.                                     |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |
|    |  |

**Attachment 5** 

Contract No.: **GSS16071-CUSTOM\_UNFRM**Contract Title: **Custom Uniforms** 

#### **CONFIDENTIALITY FORM**

| ☐ By checking this box, the Vendor acknowledges that they are not providing any information the declare to be confidential or proprietary for the purpose of production under 29 Del. C. ch. 100, Delaware Freedom of Information Act. |
|--|
| Confidentiality and Proprietary Information  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

Note: Vendor may use additional pages as necessary, but the format shall be the same as provided above.

**Attachment 6** 

Contract No.: **GSS16071-CUSTOM\_UNFRM**Contract Title: **Custom Uniforms** 

#### **BUSINESS REFERENCES FORM**

List a minimum of three business references, similar size and scope, including the following information:

- Business Name and Mailing address
- Contact Name and phone number
- Number of years doing business with
- Type of work performed

Please do not list any State Employee as a business reference. If you have held a State contract within the last 5 years, please provide a separate list the contract(s).

| 1. | Contact Name & Title:                      |  |
|----|--|--|
|    | Business Name:                             |  |
|    | Address:                                   |  |
|    |  |  |
|    | Email:                                     |  |
|    | Phone # / Fax #:                           |  |
|    | Current Vendor (YES or NO):                |  |
|    | Years Associated & Type of Work Performed: |  |
|    |  |  |
| 2. | Contact Name & Title:                      |  |
|    | Business Name:                             |  |
|    | Address:                                   |  |
|    |  |  |
|    | Email:                                     |  |
|    | Phone # / Fax #:                           |  |
|    | Current Vendor (YES or NO):                |  |
|    | Years Associated & Type of Work Performed: |  |
|    |  |  |
| 3. | Contact Name & Title:                      |  |
|    | Business Name:                             |  |
|    | Address:                                   |  |
|    |  |  |
|    | Email:                                     |  |
|    | Phone # / Fax #:                           |  |
|    | Current Vendor (YES or NO):                |  |
|    | Years Associated & Type of Work            |  |

STATE OF DELAWARE PERSONNEL MAY NOT BE USED AS REFERENCES.

#### **Attachment 7**

#### SUBCONTRACTOR INFORMATION FORM

| PART I – STATEMENT BY PROPOSING VENDOR   |  |                               |  |  |  |  |  |  |  |  |  |
|--|--|-------------------------------|--|--|--|--|--|--|--|--|--|
| 1. CONTRACT NO.<br>GSS16071-CUSTOM_UNFRM | 2. Proposing Ven   | dor Name: 3. Mailing Address  |  |  |  |  |  |  |  |  |  |
| 4. SUBCONTRACTOR                         |  |                               |  |  |  |  |  |  |  |  |  |
| a. NAME                                  | 4c. Company OS  Certification Num  |                               |  |  |  |  |  |  |  |  |  |
| b. Mailing Address:                      | 4e. Minority Busir<br>4f. Disadvantaged<br>4g. Veteran Owne<br>4h. Service Disab | 4d. Women Business Enterprise |  |  |  |  |  |  |  |  |  |
| 5. DESCRIPTION OF WORK BY SUE            | BCONTRACTOR  |                               |  |  |  |  |  |  |  |  |  |
| 6a. NAME OF PERSON SIGNING               | 7. BY (Signature)  | 8. DATE SIGNED                |  |  |  |  |  |  |  |  |  |
| 6b. TITLE OF PERSON SIGNING              |  |                               |  |  |  |  |  |  |  |  |  |
| PART II – AC                             | KNOWLEDGEMENT BY SUE   | CONTRACTOR                    |  |  |  |  |  |  |  |  |  |
| 9a. NAME OF PERSON SIGNING               | 10. BY (Signature)   | 11. DATE SIGNED               |  |  |  |  |  |  |  |  |  |
| 9b. TITLE OF PERSON SIGNING              |  |                               |  |  |  |  |  |  |  |  |  |

Use a separate form for each subcontractor

**Attachment 8** 

### SAMPLE REPORT - FOR ILLUSTRATION PURPOSES ONLY

|                |  | State of   | Delaware - Monthly Usage Report                      |                              |                      |                    |              |   |  |
|----------------|--|--|--|------------------------------|----------------------|--------------------|--------------|---|--|
| Ver. 2 8/19/14 |  |  |  |                              |                      |                    |              |   |  |
|                |  | Contract Number / Title:   |  |                              |                      |                    |              |   |  |
|                |  |  |  | _                            |                      |                    | See Belo     | w for Transaction [                     | Detail   |
|                |  | F-mail report to vendorus age@state  | .de.us no later than the 15th of each month for prid | or calendar mor              | nth usage            |                    |              |   |  |
|                |  | E main report to vendorusage estate  | nacias no later trainine found each month of pin     | or calcridal mor             | iii usage            |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              | nere were <u>no</u><br>reporting period |  |
| Supplier Name: |  | State Contract Item Sales  | \$ -   |                              |                      | Report             | Start Date:  |   |  |
| Contact Name:  |  | _ Non-State Contract item Sales  |  |                              |                      | Repoi              | rt End Date: |   |  |
| Contact Phone: |  | Total Sales  | -  |                              | T                    | To                 | day's Date:  | T                                       |  |
| Customer Group | Customer Department, School District, or OTHER - Municipaltiy / Non-Profit | Customer Division (State Agency Section name, School name, Municipality / Non-Profit name) | Item Description                                     | Awarded Contract Item YES/NO | Contract Item Number | Unit of<br>Measure | Qty          | Contract Proposal<br>Price/Rate         | Total Spend (Qty x<br>Contract Proposal<br>Price/Rate) |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |
|                |  |  |  |                              |                      |                    |              |   |  |

Note: A copy of the current Usage Report will be sent by electronic mail to the Awarded Vendor.

Completed reports shall be saved in an Excel format, and submitted to the following email address: vendorusage@state.de.us

**Attachment 9** 

#### **SAMPLE REPORT - FOR ILLUSTRATION PURPOSES ONLY**

|                                       | AMPLE REPORT - FOR ILLUSTRATION PURPOSES ONLY |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|---------------------------------------|---|--------------------------------------|--|------------------------------------|------------------------------|----------------------------|---|---|----|--|--|--------------------------------------|---|---------------------------------------|----------------------|--|--|
|                                       | State of Delaware                             |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|                                       | Subcontracting (2nd tier) Quarterly Report    |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
| Prime Name: Report Start Date:        |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
| Contract Name/Number Report End Date: |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
| Conta                                 | ct Nam  | e:                                   |  |                                    |                              |                            | Today's Da                              | te:   |    |  |  |                                      |   |                                       |                      |  |  |
| Conta                                 | ct Phor                                       | ne:                                  |  |                                    |                              |                            | *Minimum                                | Required  | Re | quested det                                | ail  |                                      |   |                                       |                      |  |  |
| Vend<br>or<br>Name<br>*               | Vend<br>or<br>TaxID<br>*                      | Contra<br>ct<br>Name/<br>Numbe<br>r* | Vendo<br>r<br>Conta<br>ct<br>Name<br>* | Vendo<br>r<br>Conta<br>ct<br>Phone | Repo<br>rt<br>Start<br>Date* | Repo<br>rt<br>End<br>Date* | Amount<br>Paid to<br>Subcontract<br>or* | Paid to Subcontract  by Certifyi ng |    | 2nd<br>tier<br>Suppli<br>er<br>Addre<br>ss | 2nd<br>tier<br>Suppli<br>er<br>Phone<br>Numb<br>er | 2nd<br>tier<br>Suppli<br>er<br>email | Descripti<br>on of<br>Work<br>Performe<br>d | 2nd<br>tier<br>Suppli<br>er<br>Tax Id | Dat<br>e<br>Pai<br>d |  |  |
|                                       |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|                                       |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|                                       |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|                                       |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |
|                                       |   |                                      |  |                                    |                              |                            |   |   |    |  |  |                                      |   |                                       |                      |  |  |

Note: A copy of the current 2<sup>nd</sup> Tier Usage Report will be sent by electronic mail to the Awarded Vendor

Completed reports shall be saved in an Excel format, and submitted to the following email address: vendorusage@state.de.us


Attachment 10

# State of Delaware Office of Supplier Diversity Certification Application

The most recent application can be downloaded from the following site: http://gss.omb.delaware.gov/osd/certify.shtml

Submission of a completed Office of Supplier Diversity (OSD) application is optional and does not influence the outcome of any award decision.

The minimum criteria for certification require the entity must be at least 51% owned and actively managed by a person or persons who are eligible: minorities, women, veterans, and/or service disabled veterans. Any one or all of these categories may apply to a 51% owner.



#### Complete application and mail, email or fax to:

Office of Supplier Diversity (OSD) 100 Enterprise Place, Suite 4 Dover, DE 19904-8202

Telephone: (302) 857-4554 Fax: (302) 677-7086

Email: osd@state.de.us

Web site: http://gss.omb.delaware.gov/osd/index.shtml

THE OSD ADDRESS IS FOR OSD APPLICATIONS ONLY.
THE OSD WILL NOT ACCEPT ANY VENDOR BID RESPONSE PACKAGES.

**Attachment 11** 

#### PROPOSAL REPLY REQUIREMENTS

The response should contain the following minimum information:

- 1. A brief Cover Letter including an Applicant's experience, if any, providing similar services.
- 2. Table of Contents
- 3. Description of Services and Qualifications Vendor shall provide a detailed description of services to be provided, and shall respond to the Scope of Work identified. Failure to adequately describe the extent of their abilities may affect how the state evaluates and scores the vendor proposal. Does the response address, at a minimum:
  - a) Requirements of the Vendor,
  - b) Criteria and Scoring,
  - c) Appendix A, Scope of Work
  - d) Appendix B, Uniform Specifications
  - e) Appendix C, Pricing Form

#### Submission of forms only, is not sufficient.

- **4.** One (1) complete, signed and notarized copy of the Non-Collusion Agreement (Attachment 2). **MUST HAVE ORIGINAL SIGNATURES AND NOTARY MARK** Form must be included.
- **5.** One (1) completed RFP Exception Form (Attachment 3) please check box if no information Form must be included.
- 6. One (1) completed Profile and Capabilities Form (Attachment 4)
- 7. One (1) completed Confidentiality Form (Attachment 5) please check if no information is deemed confidential Form must be included.
- **8.** One (1) completed Business Reference Form (Attachment 6) please provide references other than State of Delaware contacts Form must be included.
- **9.** One (1) complete and signed copy of the Subcontractor Information Form (Attachment 7) for each subcontractor only provide if applicable.
- 10. One (1) complete OSD Application (see link on Attachment 10) optional, only provide if applicable

The items listed above provide the basis for evaluating each vendor's proposal. Failure to provide all appropriate information may deem the submitting vendor as "non-responsive" and exclude the vendor from further consideration. If an item listed above is not applicable to your company or proposal, please make note in your submission package.

#### PROPOSAL REPLY REQUIREMENTS (CONT'D)

Vendors shall compile all documentation noted above, and all other documents as required in the Scope of Work, Appendix A, and shall provide in the following format(s):

- 1. **Two** paper copies of the vendor proposal paperwork.
- 2. One electronic copy of the vendor proposal saved to CD/DVD or other electronic media device. Proposal response, is to be saved as one PDF file.

### APPENDIX A SCOPE OF WORK

Vendors are to respond or acknowledge to each item contained within this Appendix A, Scope of Work.

#### A. OVERVIEW

Various police departments throughout the State of Delaware require custom made uniforms for their officers. The custom made uniforms insure the officers are able to complete the tasks required in their job without obstructions from ill-fitting apparel.

Twice a year the police agency will conduct a uniform inspection to identify what pieces in each officer's uniform needs to be replaced. Upon completion of the uniform inspection the police agency will coordinate with the awarded vendor appointments for the vendor to come on site to take the officer's measurements.

No complete uniforms, badges, patches, or insignia that is unique to any State Agency, Division, Section, School District, Political Subdivision, or Volunteer Fire Department may be sold to the general public.

Any information obtained by the vendor, to include names, personal financial information and sizes, are to be kept confidential and are deemed the property of the ordering Police Department. If a vendor is not awarded the contract and was a vendor who previously held this contract, all information regarding the officers, to include files of names, sizes and locations, must be turned over to the appropriate Police Department.

For uniform continuity, bidders are required to bid on all items contained within this solicitation.

#### B. SAMPLES

Government Support Services, reserves the right to require a Bidder to furnish samples of any item on which a vendor submits a bid. Upon request by the Government Support Services or an Agency, the Bidder must comply within 48 hours after the request for samples. The samples must be furnished free of charge, marked with item number and Bidder's name, and delivered to the designated agency. The state agencies, will evaluate these samples. All samples approved and non-approved are at the discretion of the State agencies.

#### C. GENERAL REQUIREMENTS

All materials used for the construction of the custom uniforms shall be first quality.

The production of the garments shall be first class in every respect. All materials necessary to produce the garments must be first quality, shall be made to individual measurements and fittings, clean, well finished, and pressed. Uniforms constructed are to both be professional in appearance and be able to withstand the stresses exerted in the performance of the normal duties of a law enforcement officer.

#### D. FACILITIES

Delaware State Police requires that the bidder is a primary manufacturer and intends to cut and manufacture garments in their own facilities. There shall be no sub-contracting of the dress blouses, trousers and shirts. All garments shall be manufactured in one establishment where sanitary conditions shall prevail. During normal working hours the bidder's plant shall be open for inspection of work by duly authorized representatives of the Delaware State Police.

The vendor shall demonstrate that the facilities are available to promptly making necessary alterations, adjustments and repairs.

#### E. FITTINGS

All uniform garments shall be custom made to the measurements taken of the individual. All measurements shall be taken in the presence of an official designated by the Quartermaster. This official shall also present at the try-on in the baste, shall approve alterations and acceptance of the finished product. Measurements shall be recorded and one copy shall be retained by the Delaware State Police representative until acceptance of the final garment, at which time it will be surrendered upon demand by contractor. Acceptance or rejection of the garments shall be at the discretion of the above designated official. One try-on in the baste is required and one alteration is permitted. If the uniform is judged to be unacceptable after one alteration, it will be rejected and a new garment shall be produced. A rejected uniform may not be accepted after one alteration for any other individual.

#### F. CUTTING

Garments are to be cut from computerized patterns utilizing a Lectra or Gerber computerized cutting systems. This modern equipment provides and insures the production of extremely precise patterns as well properly aligned seams for future alterations. In addition to enhancing tailoring of finely proportioned patterns for maximum garment draping qualities and consistent sizing, this equipment makes possible the production of a complete set of individual customized patterns further assuring continuity in visual effect.

#### **G. SEWING THREADS**

All sewing threads shall be the best quality nylon, cotton polyester, and blends of polyester and cotton as is applicable to specific seams. Manufacturer shall certify that the seams, sewing threads, tensile strength elongation and number of stitches per inch will withstand the stresses exerted in the performance of the normal duties of a law enforcement officer.

#### H. CERTIFICATION

Vendor shall be responsible for all requirements, specifications, standards, and shall certify compliance with the uniform specifications. There shall be no sub-contracting of either the cutting or the manufacturing of the uniform items. Doing so will be cause for rejection of the garments.

#### I. LABELS

All shirts, trousers and caps shall have a bar-coded permanently affixed label attached which shall state the name of agency, name of the individual, fabric specification, size, and date of manufacture. There shall also be a tracking code which corresponds with the packing list and invoice number.

#### J. <u>DELIVERY</u>

Delivery of uniforms to the Agency; not delivered personally by the awarded vendor, must be sent via UPS or other traceable method at no cost to the Ordering Agency. For orders shipped through a delivery service, the Vendor is to notify the Ordering Agency via email when the order has been shipped, estimated delivery date, and tracking number for the order.

### APPENDIX B Uniform Specifications

Following you will find the custom uniform requirements for Delaware State Police and Capitol Police. Local Municipalities may elect to utilize this contract.

The garments shall be made to measure according to individual measurements and fittings. Fabric is to be first quality blended fabric (or approved equal) as detailed in specifications. Only first grade quality fabric will be acceptable. Stock sizes are not permitted. All garments must be made in USA.

The State reserves the right to add or remove uniform requirements to this contract. The State also reserves the right to edit uniform requirements as the Agency needs change.

#### **Summer Breeches**

#### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 11 ounce per linear yard

3. FIBER CONTENT: 55% Dacron polyester; 45% worsted wool

4. COLOR: Midnight Blue

- 1. <u>STYLE</u>: Modern up to date military patterns shall be used with fitted waistbands and finished hems produced according to individual sizing. The width of the legs shall be proportional to individual sizing. The width of the legs shall be proportional to individual inseam and shoe sizes. To be made with two full straight side pockets and two rear pockets with top stitched flaps. A pearl type eyelet buttonhole is to be placed on both flaps. The density of buttonhole is 50 stitches per inch with a four hole 24 ligne plastic button.
- 2. <u>POCKETS</u>: Front on seam straight pockets approximately 6-1/4" opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5-1/2" wide and 7" deep. All pockets are to be sewn inside out and turned then top stitched for extra strength. All pocket welts are to be interlined with pellon and then top stitched. There shall be a right and left flashlight pocket place on both hips, pocket shall measure 3-1/2" wide and 7-1/2" deep. The flashlight pockets are to be welted and top stitched.
- 3. <u>BELT LOOPS</u>: All breeches are to have 7 belt loops 7/8" wide and 2" long. All loops are to have double stitching for extra strength. All loops are to be sewn into waistband at the top and then dropped to accommodate a 1-3/4" duty belt. All loops are to be sewn in such a manner as not to allow raw edges. The base of the loops are to be stitched for extra strength with a minimum of 28 stitches per loop.
- 4. <u>POCKETING</u>: To be 2.5 natural drill, poly/cotton twill #230 as manufactured by QST Industries. Blend to be 70% cotton and 30% polyester.
- 5. <u>WAISTBAND</u>: Waistband curtain to be black, approximately 2-3/4" wide with 3 rows of snug-tex completely around the interior caught in the top stitching. The snug-tex is to extend over the French fly and waistband curtain with snug-tex covering the back seam outlet. Top of the waistband to be single needle top stitched at the top and bottom of band for extra strength. Zig-zag or chain stitch is not acceptable. Waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be acceptable.
- 6. <u>FLY</u>: Talon zipper is to be brass #603-0-025 with a #001-5310-05-03-04-000 slide, cut and gapped to precise lengths for individual breeches. The zipper slide is to be heavy duty self locking type. The zipper tape is to be all cotton twill style #06-1310. The breech closure to be crush proof heavy duty hook and eye style with a 1 piece French fly and fly button fastening at the base of the waistband. Two piece fly and button tab is not acceptable.

- 7. <u>STRIPE</u>: Stripe to be 1-1/2" gold, 12 ounce gabardine, 55% Dacron polyester and 45% wool, as manufactured by Hamburger Woolen Company style #670-10. Stripe is to be sewn into the breech in such a manner as to show no top stitching except at pocket opening reinforcement. Strip to be mounted to the front panel and incorporated with the front pocket construction.
- 8. CONSTRUCTION: All stress points are to be properly bar tacked and closing seams to have #40 polyester cord reinforced thread for extra strength. Breeches must be properly shaped, the outseams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges inside or outside of the breech. All breeches are to have approximately a 5" polyester and cotton crotch reinforcement sewn in, size may vary according on the breech size. All breeches must have a double reinforced seat and leg, a zipper closure on the calf and an elastic stirrup. The hip shall have a semi or moderate peg or flair.

#### **Summer Trouser**

#### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 11 ounce per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. COLOR: Midnight Blue

- 1. <u>STYLE</u>: Modern up to date military patterns shall be used with fitted waistbands and finished hems produced according to individual sizing. The width of the legs shall be proportional to individual sizing. The width of the legs shall be proportional to individual inseams and shoe sizes. To be made with two full straight side pockets and two rear pockets with top stitched flaps. A pearl type eyelet buttonhole is to be placed on both flaps. The density of buttonhole is 50 stitches per inch with a four hold 24 ligne plastic button.
- 2. <u>POCKETS</u>: Front on seam straight pockets approximately 6-1/4" opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5-1/2" wide and 7" deep. All pockets are to be sewn inside out and turned then top stitched for extra strength. All pocket welts are to be interlined with pellon and then top stitched.
- 3. <u>BELT LOOPS</u>: All trousers are to have 7 belt loops 7/8" wide and 2" long. All loops are to have double stitching for extra strength. All loops are to be sewn into waistband at the top and then dropped to accommodate a 1-3/4" duty belt. All loops are to be sewn in such a manner as not to allow raw edges. The base of the loops are to be stitched for extra strength with a minimum of 28 stitches per loop.
- 4. <u>POCKETING</u>: To be 2.5 natural drill, poly/cotton twill #230 as manufactured by QST Industries. Blend to be 70% cotton and 30% polyester.
- 5. <u>WAISTBAND</u>: Waistband curtain to be black, approximately 2-3/4" wide with 3 rows of snug-tex completely around the interior caught in the top stitching. The snug-tex is to extend over the French fly and waistband curtain with snug-tex covering the back seam outlet. Top of the waistband to be single needle top stitched at the top and bottom of band for extra strength. Zig-zag or chain stitch is not acceptable. Waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be acceptable.
- 6. <u>FLY</u>: Talon zipper is to be brass #603-0-025 with a #001-5310-05-03-04-000 slide, cut and gapped to precise lengths for individual trousers. The zipper slide is to be heavy duty self locking type. The zipper tape is to be all cotton twill style #06-1310. The trouser closure is to be crush proof heavy duty hook and eye style with a one-piece French fly and fly button fastening at the base of the waistband. Two-piece fly and button tab is not acceptable.
- 7. <u>STRIPE</u>: Stripe to be 1-1/2" gold, 12 ounce gabardine, 55% Dacron polyester and 45% wool, as manufactured by Hamburger Woolen Company style #670-10. Stripe is to be sewn into the trouser in such a manner as to show no top stitching except at pocket opening reinforcement. Stripe to be mounted to the front panel and incorporated with the front pocket construction.

8. <u>CONSTRUCTION</u>: All stress points are to be properly bar tacked and closing seams to have #40 polyester cord reinforced thread for extra strength. Trousers must be properly shaped, the outseams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges or outside of the trouser. All trousers are to have approximately a 5" polyester and cotton crotch reinforcement sew in, size may vary according to the trouser size.

#### **Winter Breeches**

#### A. SPECIFICATION

1. WEAVE: Elastique

2. WEIGHT: 16-1/2 ounces per linear yard

3. FIBER CONTENT: 55% Dacron polyester; 45% worsted wool

4. COLOR: French Blue

- 1. <u>STYLE</u>: Modern up to date military patterns shall be used with fitted waistbands and finished hems produced according to individual sizing. The width of the legs shall be proportional to individual inseam and shoe sizes. To be made with two full straight side pockets and two rear pockets with top stitched flaps. A pearl type eyelet buttonhole is to be placed on both flaps. The density of buttonhole is 50 stitches per inch with a four hole 24 ligne plastic button.
- 2. <u>POCKETS</u>: Front on seam straight pockets approximately 6-1/4" opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5-1/2" wide and 7" deep. All pockets are to be sewn inside out and turned then top stitched for extra strength. All pocket welts are to be interlined with pellon and then top stitched. There shall be a right and left flashlight pocket place on both hips, pocket shall measure 3-1/2" wide and 7-1/2" deep. The flashlight pockets are to be welted and top stitched.
- 3. <u>BELT LOOPS</u>: All breeches are to have 7 belt loops 7/8" wide and 2" long. All loops are to have double stitching for extra strength. All loops are to be sewn into waistband at the top and then dropped to accommodate a 1-3/4" duty belt. All loops are to be sewn in such a manner as not to allow raw edges. The base of the loops are to be stitched for extra strength with a minimum of 28 stitches per loop.
- **4.** <u>POCKETING</u>: To be 2.5 natural drill, poly/cotton twill #230 as manufactured by QST Industries. Blend to be 70% cotton and 30% polyester.
- 5. WAISTBAND: Waistband curtain to be black, approximately 2-3/4" wide with 3 rows of snug-tex completely around the interior of the breech and 1-5/8" banroll to prevent rolling shall be caught in the top stitching. The snug-tex is to extend over the French fly and waistband curtain with snug-tex covering the back seam outlet. Top of the waistband to be single needle top stitched at the top and bottom of band for extra strength. Zig-zag or chain stitch is not acceptable. Waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be accepted.
- **6.** <u>FLY</u>: Talon zipper is to be brass #603-0-025 with a #001-5310-05-03-04-000 slide, cut and gapped to precise lengths for individual breeches. The zipper slide is to be heavy duty self locking type. The zipper tape is to be all cotton twill style #06-1310. The breech closure to be crush proof heavy duty hook and eye style with a one-piece French fly and fly button fastening at the base of the waistband. Two-piece fly and button tab is not acceptable.

- 7. <u>STRIPE</u>: Stripe to be 1-1/2" gold, 12 ounce gabardine, 55% Dacron polyester and 45% wool, as manufactured by Hamburger Woolen Company style #670-10. Stripe to be sewn into the breeches in such a manner as to show no top stitching except at pocket opening reinforcement. Stripe to be mounted to the front panel and incorporated with the front pocket construction.
- 8. CONSTRUCTION: All stress points are to be properly bar tacked and closing seams to have #40 polyester cord reinforced thread for extra strength. Breeches must be properly shaped, the outseams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges inside or outside of the breech. All breeches are to have approximately a 5" polyester and cotton crotch reinforcement sewn in, size may vary according on the breech size. All breeches must have a double reinforced seat and leg, a zipper closure on the calf and an elastic stirrup. The hip shall have a semi or moderate peg or flair.

#### Winter Trouser

#### A. SPECIFICATIONS

1. WEAVE: Elastique

2. WEIGHT: 16-1/2 ounce per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. COLOR: French Blue

- 1. <u>STYLE</u>: Modern up to date military patterns shall be used with fitted waistbands and finished hems produced according to individual sizing. The width of the legs shall be proportional to individual inseam and shoe sizes. To be made with two full straight side pockets and two rear pockets with top stitched flaps. A pearl type eyelet buttonhole is to be placed on both flaps. The density of buttonhole is 50 stitches per inch with a four hole 24 ligne plastic button.
- 2. <u>POCKETS</u>: Front on seam straight pockets approximately 6-1/4" opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5-1/2" wide and 7" deep. All pockets are to be sewn inside out and turned them top stitched for extra strength. The pocket welts are to be interlined with pellon and then top stitched.
- 3. <u>BELT LOOPS</u>: All trousers are to have 7 belt loops 7/8" wide and 2" long. All loops are to have double stitching for extra strength, All loops are to be sewn into waistband at the top and then dropped to accommodate a 1-3/4" duty belt. All loops are to be sewn in such a manner as not to allow raw edges. The base of the loop is to be stitched for extra strength with a minimum of 28 stitches per loop.
- **4.** <u>POCKETING</u>: To be 2.5 natural drill, poly/cotton twill #230 as manufactured by QST Industries. Blend to be 70% cotton and 30% polyester.
- 5. <u>WAISTBAND</u>: Waistband curtain to be black, approximately 2-3/4" wide with 3 rows of snug-tex completely around the interior of the pants and 1-5/8" bandroll to prevent rolling shall be caught in the top stitching. The snug-tex is to extend over the French fly and waistband curtain with snug-tex covering the back seam outlet. Top of the waistband to be single needle top stitched at the top and bottom of band for extra strength. Zig-zag or chain stitch is not acceptable.
- **6.** <u>FLY</u>: Talon zipper is to be brass #603-0-025 with a #001-5310-05-03-04-000 slide, cut and gapped to precise lengths for individual trousers. The zipper slide is to be heavy duty self locking type. The zipper tape is to be all cotton twill style #06-1310. The trouser closure to be crush proof heavy duty hook and eye style with a one-piece French fly and fly button fastening at the base of the waistband. Two-piece fly and button tab is not acceptable.
- 7. <u>STRIPE</u>: Stripe to be 1-1/2" gold, 12 ounce gabardine, 55% Dacron polyester and 45% wool, as manufactured by Hamburger Woolen Company style #670-10. Stripe is to be sewn into the trouser in such a manner as to show no top stitching except at pocket opening reinforcement. Stripe to be mounted to the front panel and incorporated with the front pocket construction.

8. <u>CONSTRUCTION</u>: All stress points are to be properly bar tacked and closing seams to have #40 polyester cord reinforced thread for extra strength. Trousers must be properly shaped, the outseams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges inside or outside of the trouser. All trousers are to have approximately a 5" polyester and cotton crotch reinforcement sewn in, size may vary according on the trouser size.

#### Other Trouser - Capitol Police

#### A. SPECIFICATION

1. WEAVE: Serge

2. WEIGHT: 14 ounces per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. MATERIAL: Burlington Style P&F #8330-8107

5. COLOR: Midnight Blue

- 1. <u>STYLE</u>: Modern up to date military patterns shall be used with fitted waistband and finished hems produced according to individual sizing. The width of the legs shall be proportional to individual inseam and shoe sizes. To be made with two full straight side pockets and two rear pockets with top stitched flaps. A pearl type eyelet buttonhole is to be placed on both flaps. The density of buttonhole is 50 stitches per inch with a four hole 24 ligne plastic button.
- 2. <u>POCKETS</u>: Front on seam straight pockets approximately 6-1/4" opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5-1/2" wide and 7" deep. All pockets are to be sewn inside out and turned then top stitched for extra strength. All pocket welts are to be interlined with pellon and then top stitched.
- 3. <u>BELT LOOPS</u>: All trousers are to have 7 belt loops 7/8" wide and 2-3/4" long. All loops are to have double stitching for extra strength. All loops are to be sewn into waistband at the top and then dropped to accommodate a 2-1/2" duty belt. All loops are to be sewn in such a manner as not to allow raw edges. The base of the loops are to be stitched for extra strength with a minimum of 28 stitches per loop.
- **4.** <u>POCKETING</u>: To be 2.5 natural drill, poly/cotton twill #230 as manufactured by QST Industries. Blend to be 70% cotton and 30% polyester.
- 5. WAISTBAND: Waistband curtain to be black, approximately 3" wide with 3 rows of snug-tex completely around the interior of the pants and 1-5/8" banroll to prevent rolling shall be caught in the top stitching. The snug-tex to extend over the French fly and waistband curtain with snug-tex covering the back seam outlet. Top of the waistband to be single needle top stitched at the top and bottom of band for extra strength. Zig-zag or chain stitch is not acceptable. Waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be accepted.
- **6.** <u>FLY</u>: Talon zipper is to be brass #603-0-025 with a #001-5310-05-03-04-000 slide, cut and gapped to precise lengths for individual trousers. The zipper slide to be heavy duty self locking type, the zipper tape to be all cotton twill style #06-1310. The trouser closure to be crush proof heavy duty hook and eye style with a one-piece French fly and fly button fastening at the base of the waistband. Two-piece fly and button tab is not acceptable.

- 7. <u>STRIPE</u>: Stripe to be 1-1/2" French blue, 16-1/2 ounce elastique, 55% Dacron polyester and 45% wool, Burlington Mills #646-114. Stripe is to be sewn into the trouser in such a manner as to show no top stitching except at pocket opening reinforcement. Stripe to be mounted to the front panel and incorporated with the front pocket construction.
- 8. CONSTRUCTION: All stress points are to be properly bar tacked and closing seams to have #40 polyester cord reinforced thread for extra strength. Trousers must be properly shaped, the outseams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges inside or outside of the trouser. All trousers are to have approximately a 5" polyester and cotton crotch reinforcement sewn in, size may vary according on the trouser size, front creases are to be permanently sewn in and finished with a lock stitch. There shall be blind stitched hems.

#### **Class A Uniform Dress Blouse**

#### A. SPECIFICATION

1. WEAVE: Elastique

2. WEIGHT: 16-1/2 ounces per linear yard

3. FIBER CONENT: 55% dacron polyester; 45% worsted wool

4. PLY OF YARN: 2-ply warp and filling

5. COLOR:

a) State Police: Police and Fire Blue as obtained by the yarn dye process

b) Capitol Police: French Blue as obtained by the yarn dye process

- 1. <u>STYLE</u>: Four button single breasted, button stand, peak lapel, form fitting, cut snug at waist, flare in skirt. (Sam Browne belt to be worn) Double bi-swing back and center vent omitted. Capitol Police: Notch lapel shall be 3-3/8" long from break and 1-3/8" top collar.
- 2. <u>COLLAR</u>: Shall be rolled to first button, and shall have under-collar 100% polyester needle punch felt, color to match outer shell cloth. Under-collar shall be basted and felled at bottom.
- 3. POCKETS: Blouse shall have two outside breast pockets with pleats and flaps which button down. The corners of the pockets shall be slightly rounded. The pleat in each pocket shall be 1-1/2" wide. The blouse shall also have two lower belsom pockets with flaps which will button down with 24 ligne buttons. Uniformity and spacing shall be maintained at the bottom of waist. The blouse shall also be constructed with two inside breast pockets. The pockets shall be 5-3/4" wide by 6" deep. The pocket opening shall be neatly piped. Dimensions for breast pockets and lower pockets shall be scaled in accordance with garment size and length. Top pockets flaps are to be scallop style and the bottom pocket flaps will be cut straight.
- **4.** <u>BACK</u>: Shall be constructed with a resilient double bi-swing to facilitate movement. The opening of both the interior and exterior bi-swing shall start 1-1/2" below epaulet seam and extend 1-1/2" above waistband.
- 5. <u>LINING</u>: Full lining of polyester twill fabric, black in color. Front innercloth shall be the best grade of nonwoven fusible pellon. There shall be no substitute for pellon. Chest and shoulder of coat to be padded with hymo-haircloth felt and to be sewn with two rows of blind stitching including one inch woven bridle tape. The back of blouse is to be constructed with a bi-swing that is connected with a 1" elastic strap.

- 6. <u>SLEEVE</u>: The lining shall be the same as the body lining. Applicable Police emblem shall be placed on the left sleeve 1" down from shoulder seam. Where needed, regulation applicable Police rank chevrons will be attached underneath the shoulder emblem. Applicable Police hash marks attached to the left sleeve. Delaware State Police: The lower portion of each sleeve will have a French Blue Colonial cuff with three removable buttons on each cuff. Colonial cuff will be elastique, 55% dacron polyester and 45% wool. Capitol Police: The lower portion of each sleeve will have a P&F serge colonial cuff with three removable buttons on each cuff. Colonial cuff will be Burlington #8330-8107 serge, 55% Dacron polyester and 45% wool.
- 7. <u>EPAULETS</u>: Shall be 2-1/4" wide at shoulder seam and tapered to 1-1/2" and the point extending well under the collar. Each button shall button near collar with a 24 ligne button. Epaulets to be boxed stitched. Delaware State Police: Epaulets shall be French Blue, 55% Dacron polyester and 45% wool, elastique finish, 16-1/2 ounce, 2 ply. Capitol Police: Epaulets shall be P&F, 55% Dacron polester and 45% wool, serge finish, 14 ounce, 2 ply. Burlington Mills #8330-8107
- **8.** <u>SEAM</u>: Outside body seams shall be plain. Shoulder seams shall be stayed around armhole with tape from back notch to front notch.
- **9.** OUTLETS: Side seams,  $\frac{3}{4}$ " each side,  $\frac{3}{4}$ " underseam. The turn-up at the bottom of cuff shall be no less than 2-1/2". The turn-up at the bottom of the coat shall be no less than 1-1/4".
- 10. <u>BUTTONS</u>: Front closure, four 36 ligne metal buttons are to be recessed. The pocket flaps and epaulets will have six 24 ligne buttons and are to be manufactured by the Waterbury Button Company and will be cut first or after type, positioned ½" from edge of coat and finished with separate bartacks. Front button shall be sunk or recessed and removable. Capitol Police: Gold for all ranks of Sergeant and above, Silver for Patrolman and Corporal. The buttons will be the Delaware State Seal. The buttonholes: Shall be cut first or after type, positioned ½" from edge of coat and finished with separate bartacks.
- **11.** <u>BELT HOOKS</u>: Belt hooks to match color of coat and reinforced in side seam for a Sam Browne belt. Two hooks in rear at side seams will be required.
- **12.** SHOULDER PADS: Shall be ½" thick needle punch type with 100% cotton padding fill.
- **13.** <u>TOP AND EDGE STITCHING</u>: Uniform ¼" double stitching shall be used on all flaps, epaulets, and breast pockets and at hem of blouse.

#### 14. ADDITION:

- a) Delaware State Police: There shall be a flat tin badge holder sewn above the left breast pocket.
- b) Capitol Police: There shall be a cloth badge holder sewn above the left breast pocket, 2" long and 1" wide, with two bras eyelets. Badge holder to be sewn all the way around.

#### Class B Shirt, Long Sleeve

#### A. SPECIFICATION

1. WEAVE: Twill

2. WEIGHT: 6.7 ounce per square yard

3. FIBER CONTENT: 65% Dacron polyester, 35% cotton

4. COLOR: French Blue with 10% mechanical stretch

- 1. <u>STYLE</u>: Regulation police long sleeve shirt with shoulder straps. Fiver permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be straight (3" from the bottom neckband to base of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be 1/4" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirt to be computer cur and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- 4. COLLAR: To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2-5/8" long. Collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with the same material as the body of the shirt. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be of pellon woven fusible #N5772 white. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- 5. <u>SLEEVE</u>: To have double reinforced elbows, reinforcement is to be one piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6-3/4" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a permanent plastic 24 ligne button. Cuff to have a permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable.
- 6. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with Velcro in each corner which is to be sewn down on all four sides. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.
- 7. <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Should strap shall be grade by size with the straps for sizes 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a permanent plastic 24 ligne button.
- **8.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic blue buttons.
- 9. EMBLEMS: A regulation Delaware State Police emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed, regulation Delaware State Police rank chevrons will be attached below the shoulder emblems. Where needed, regulation service hash marks will be attached to the left sleeve. A Delaware State Police badge emblem will be attached to the left chest of the shirt. A cloth nametape will be attached to the right chest of the shirt place above the right pocket flap. The nametape will have 5/8" light grey #5783 block letters placed on a French blue twill background which will be the same material as the body of the shirt. All emblems, chevrons and hash marks will be supplied by Delaware State Police.

#### **Uniform Shirt, Long Sleeve**

#### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 11 ounce per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. COLOR: French Blue

- 1. <u>STYLE</u>: Regulation police long sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be straight (3" from the bottom neckband to base of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45 % polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be 1/4" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirt to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** <u>BADGE HOLDER</u>: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1" wide and 2-1/2" long having a center stitch for reinforcement, to be sewn all the way around.
- **5.** NAMEPLATE HOLDER: Two oval nameplate eyelets will be placed above the right pocket with 1-1/2" spacing.
- 6. COLLAR: To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2-5/8" long, collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with blue 65% polyester and 35% rayon sateen material and shall have four rows of stitching throughout. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be of pellon woven fusible #N5772 white. The collar stays

#### STATE OF DELAWARE

### Office of Management and Budget Government Support Services

will be of the best possible quality staler. The collar stays will be 2-5/8" in length and  $\frac{1}{4}$ " in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- 7. <u>SLEEVE</u>: To have double reinforced elbows. Reinforcement is to be one piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6-3/4" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a removable metal 24 ligne button. Cuff to have permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable. There shall be a 24 ligne permanent plastic button on the sleeve placket.
- 8. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a removable metal 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to the top of the flap.
- 9. SHOULDER STRAPS: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a removable metal 24 ligne button.
- **10.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic blue buttons with the exception of the epaulets, flaps, cuffs and front placket will have five metal buttons. Buttons will be supplied by the Delaware State Police.
- 11. <u>EMBLEMS</u>: A regulation Delaware State Police Emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed regulation Delaware State Police rank chevrons will be attached below the shoulder emblems. Where needed, regulation service hash marks will be attached to the left sleeve. All emblems, chevrons and hash marks will be supplied by Delaware State Police.

### 100% Polyester Shirt, Long Sleeve

### A. SPECIFICATIONS

1. WEAVE: Tropical

2. WEIGHT: 9-1/2 ounces per linear yard

3. FIBER CONTENT: 100% Dacron polyester, 2 PLY

4. COLOR: White, Burlington Mills #5038

- 1. <u>STYLE</u>: Regulation police long sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4-1/2" from the bottom neckband to point of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be ½" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** <u>BADGE HOLDER</u>: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1 inch wide and 2-1/2" long having a center stitch for reinforcement, to be sewn all the way around.
- 5. COLLAR: To be stand up style. Collar to have permanently fused shrink proof. 100% cotton interlining. extra heavy grade, collar to be 2-5/8" long. Collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. The neckband is to be lined with blue 65% Dacron polyester and 35% cotton. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with pole/cotton broadcloth. The collar stand and collar stand lining shall be fused with Pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shal be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through he outside of the collar. When completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be of pellon woven fusible #N5772 white. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- **6.** <u>SLEEVE</u>: To have double reinforced elbows. Reinforcement is to be one piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6-3/4" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a removable metal 24 ligne button. Cuff to have permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable.
- 7. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a removable metal 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.
- **8.** <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a removable metal 24 ligne button.
- **9.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic white buttons with the exception of the epaulets, flaps and cuffs which will have gold Delaware State Seal buttons attached with a discs and toggle. Buttons must be manufactured by the Waterbury Button Company.
- **10.** <u>EMBLEMS</u>: A regulation Delaware Capitol Police emblem shall be attached to the left sleeve, set 1" below shoulder seam.

### **Blended Shirt, Long Sleeve**

### A. SPECIFICATION

1. WEAVE: Serge

2. WEIGHT: 12 ounces per linear yard, 2 PLY

3. FIBER CONTENT: 75% Dacron polyester, 25% worsted wool

4. COLOR: French Blue, Burlington #6038-35386

- 1. <u>STYLE</u>: Regulation police long sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4-1/2" from the bottom neckband to point of yoke on a male shirt size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be ½" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** <u>BADGE HOLDER</u>: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1" wide and 2-1/2" long having a center stitch for reinforcement, to be sewn all the way around.
- 5. COLLAR: To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining. extra heavy grade, collar to be 2-5/8" long. Collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. The neckband is to be lined with blue 65% Dacron polyester and 35% cotton. The collar will consist of a leaf with a separate stitched stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand lining shall be fused with pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches wil show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be of pellon woven fusible #N5772 white the collar stays wil be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- **6.** <u>SLEEVE</u>: To have double reinforced elbows. Reinforcement is to be one-piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6-3/4" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a removable metal 24 ligne button. Cuff to have permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable.
- 7. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a removable 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to the top of flap.
- **8.** <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 6-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a removable metal 24 ligne button.
- **9.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic blue buttons with the exception of the epaulets, flaps and cuffs which will have silver Delaware State Seal buttons attached with a discs and toggle. The rank of sergeant and above will have gold Delaware State Seal buttons. Buttons must be manufactured by the Waterbury Button Company.
- **10.** <u>EMBLEMS</u>: A regulation Delaware Capitol Police emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed, regulation Delaware Capitol Police chevrons will be attached below the shoulder emblems. Where needed, regulation Delaware Capitol Police service hash marks will be attached to the left sleeve forearm.

### **Pipes and Drums Blouse**

### A. SPECIFICATION

1. WEAVE: Elastique

2. WEIGHT: 16-1/2 ounce per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. PLY OF YARN: 2-ply warp and filling

5. COLOR: Police and Fire Blue as obtained by the yarn dye process

- 1. <u>STYLE</u>: Five button single breasted, button stand, choker collar, form fitting, cut snug at waist, flare in skirt. (Sam Browne belt to be worn) Double bi-swing back and center vent omitted.
- 2. COLLAR: Choker collar Marine Corp style with hook and eye metal closure.
- 3. <u>POCKETS</u>: Blouse shall have two outside breast pockets with pleats and flaps which button down. The corners of the pockets shall be slightly rounded. The pleat in each pocket shall be 1-1/2" wide. The blouse shall also be 5-3/4" wide by 6" deep. The pocket opening shall be neatly piped. Dimensions for breast pockets shall be scaled in accordance with garment size and length. Top pocket flaps re to be scallop style.
- **4.** <u>BACK</u>: Shall be constructed with a resilient double bi-swing to facilitate movement. The opening of both the interior and exterior bi-swing shall start 1-1/2" below epaulet seam and extend 1-1/2" above waistband.
- 5. <u>LINING</u>: Full lining of polyester twill fabric, black in color. Front intercloth shall be the best grade of nonwoven fusible pellon. There shall be no substitute for pellon. Chest and shoulder of coat to be padded with hymo-haircloth felt and to be sewn with two rows of blind stitching including one inch woven bridle tape. The back of blouse is to be constructed with a bi-swing that is connected with a 1" elastic strap.
- **6.** <u>SLEEVE</u>: The lining shall be the same as the body lining. A Delaware State Police emblem shall be placed on the left sleeve 1" down from the shoulder seam. Where needed, regulation Delaware State Police rank chevrons will be attached underneath the shoulder emblem. Delaware State Police service hash marks attached to the left sleeve. The lower portion of each sleeve will have a French Blue Colonial cuff with three removable buttons on each cuff. Colonial cuff will be elastique, 55% Dacron polyester and 45% wool.
- 7. <u>EPAULETS</u>: Shall be 2-1/4" wide at shoulder seam and tapered to 1-1/2" and the point extending well under the collar. Each button shall button near collar with a 24 ligne button. Epaulets to be boxed stitched. Epaulets shall be French Blue, 55% Dacron polyester and 45% wool, elastique finish, 16-1/2 ounce, 2 ply.

- **8.** <u>SEAM</u>: Outside body seams shall be plain. Shoulder seams shall be stayed around armhole with tape from back notch to from notch.
- 9. OUTLETS: Side seams, 3/4" each side, 3/4" underseam. The turn-up at the bottom of cuff shall be no less than 2-1/2". The turn-up at the bottom of the coat shall be no less than 1-1/4".
- **10.** <u>BUTTONS</u>: Front closure, five 36 ligne metal buttons are to be recessed. The pocket flaps and epaulets will 4 six 24 ligne. Buttons are to be manufactured by the Waterbury Button Company and will be required in gold for all ranks with the State of Delaware seal design. The buttonholes: shall be cut first or after type, positioned ½" from edge of coat and finished with separate bartacks.
- 11. BELT HOOKS: No belt hooks are required.
- **12.** SHOULDER PADS: Shall be ½" thick needle punch type with 100% cotton padding fill.
- **13.** <u>TOP AND EDGE STITCHING</u>: Uniform ¼" double stitching shall be used on all flaps, epaulets, and breast pockets and at them of blouse.
- **14.** <u>ADDITIONS</u>: There shall be a flat tin badge holder sewn above the left breast pocket.

#### Class B Shirt, Short Sleeve

### A. SPECIFICATION

1. WEAVE: Twill

2. WEIGHT: 6.7 ounces per square yard

3. FIBER CONTENT: 65% Dacron polyester, 35% cotton

4. COLOR: French Blue with 10% mechanical stretch

- 1. <u>STYLE</u>: Regulation police short sleeve shirt with shoulder straps. Fiver permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be straight (3" from the bottom neckband to base of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" length. Zipper shall begin from the second button from the top.
- 3. <u>CONSTRUCTION</u>: The collars are to be ½" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- 4. COLLAR: To be open lay down style and will have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2-5/8" long. Collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be on pellon woven fusible #N5772 white. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- 5. <u>SLEEVE</u>: To have a hemmed half sleeve which will be available in different sleeve lengths.
- 6. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with Velcro in each corner which is to be sewn down on all four sides. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creased for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.
- 7. <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 16-1/2" to measure 5-3/4" n length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a permanent plastic 24 ligne button.
- **8.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic blue buttons.
- 9. EMBLEMS: A regulation Delaware State Police emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed, regulation Delaware State Police rank chevrons will be attached below the shoulder emblems. Where needed, regulation service hash marks will be attached to the left sleeve. A Delaware State Police badge emblem will be attached to the left chest of the shirt. A cloth nametape will be attached to the right chest of the shirt place above the right pocket flap. The nametape will have 5/8" light grey #5783 block letters placed on a French blue twill background which will be the same material as the body of the shirt. All emblems, chevrons and hash marks will be supplied by Delaware State Police.

#### **Uniform Shirt, Short Sleeve**

### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 8-1/2 ounces per linear yard

3. FIBER CONTENT: 55% Dacron polyester, 45% worsted wool

4. COLOR: French Blue

- 1. <u>STYLE</u>: Regulation police short sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be straight (3" from the bottom neckband to base of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be 1/4" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** <u>BADGE HOLDER</u>: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1" wide and 2-1/2" long having a center stitch for reinforcement, to be sewn all the way around.
- **5.** NAMEPLATE HOLDER: Two oval nameplate eyelets will be placed above the right pocket with 1-1/2" spacing.
- 6. COLLAR: To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2-5/8" long. Collar stays which measure 3/8" x 2-1/2" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with blue 65% polyester and 35% rayon sateen material and shall have four rows of stitching throughout. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #AH3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar when completed, the collar will have a tie space opening of 3/8" to ½". The interlining of the collar leaf will be of pellon woven fusible #N5772 white. The

#### STATE OF DELAWARE

### Office of Management and Budget Government Support Services

collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and  $\frac{1}{4}$ " in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

- 7. SLEEVE: To have a 1" hem and must be available in measured sleeve length at ½" increments.
- 8. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the tope is to have a 1-1/4" pencil division. Pocket will accommodate a removable metal 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to the top of flap.
- 9. SHOULDER STRAPS: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder strap will accommodate a removable metal 24 ligne button.
- **10.** <u>BUTTONS</u>: The entire shirt will have permanent 24 ligne plastic blue buttons with the exception of the epaulets, flaps, and front placket will have five metal buttons. Buttons will be supplied by the Delaware State Police.
- **11.** <u>EMBELMS</u>: A regulation Delaware State Police emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed regulation Delaware State Police rank chevrons will be attached below the shoulder emblems. All emblems and chevrons will be supplied by Delaware State Police.

### 100% Polyester, Short Sleeve Shirt

### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 9-1/2 ounces per linear yard

3. FIBER CONTENT: 100% Dacron polyester, 2-ply

4. COLOR: White, Burlington #5038

- 1. <u>STYLE</u>: Regulation police short sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4-1/2" from the bottom neckband to point of yoke on a male 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be ½" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** BADGE HOLDER: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1 inch wide and 2-1/2" inches long having a center stitch for reinforcement, to be sewn all the way around.
- **5.** <u>COLLAR</u>: To be open style lay down with no neckband, otherwise the collar must meet the same specification as the long sleeve shirt collar.
- **6.** <u>SLEEVE</u>: Half sleeve will have a 1" finished hem and will be available in various sleeve lengths.
- 7. <u>POCKETS</u>: pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a removable metal 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket.
- 8. <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and cross stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a removable metal 24 ligne button.

- **9.** <u>BUTTONS</u>: The entire shirt will have removable metal 24 ligne buttons. Gold Delaware State Seal buttons will be attached with a disc and toggle. Metal buttons must be manufactured by the Waterbury Button Company.
- **10.** <u>EMBLEMS</u>: A regulation Delaware Capitol Police emblem shall be attached to the left sleeve, set 1" below shoulder seam.

#### **Blended Shirt, Short Sleeve**

### A. SPECIFICATION

1. WEAVE: Tropical

2. WEIGHT: 9-1/2 ounces per linear yard

3. FIBER COUNT: 75% Dacron polyester, 25% worsted wool – 2-ply

4. COLOR: French Blue; Burlington #6037-35386

- 1. <u>STYLE</u>: Regulation police short sleeve shirt with shoulder straps and metal eyelet badge holder. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4-1/2" from the bottom neckband to point of yoke on a male size 16-1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color.
- 2. <u>FRONT</u>: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1-3/8" wide and to be lined with fusible pellon. The shirt is to have a hidden zipper front which is to be flat and molded. The zipper model YKK #VFO-36, 7/16" wide, 15" in length. Zipper shall begin from the second button from the top.
- 3. CONSTRUCTION: The collars and cuffs are to be ½" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.
- **4.** <u>BADGE HOLDER</u>: Badge tab left chest to be lined with fusible pellon and two metal eyelets approximately 1" wide and 2-1/2" long having a center stitch for reinforcement, to be sewn all the way around.
- **5.** <u>COLLAR</u>: To be open style lay down with no neckband, otherwise the collar must meet the same specifications as the long sleeve shirt collar.
- **6.** <u>SLEEVE</u>: Half sleeve will have a 1" finished hem and will be available in various sleeve lengths.
- 7. <u>POCKETS</u>: Pockets to be pleated approximately 5-7/8" deep and 5-1/4" wide. Pockets are to be scalloped style with snaps in each corner. The flaps are to be interlined with pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1-1/4" pencil division. Pockets will accommodate a removable metal 24 ligne button. Pockets and flaps to be die creased for uniformity. Pockets will be equally distant from the center placket.
- 8. <u>SHOULDER STRAPS</u>: Military style sewn into sleeve seams and crossed stitched. All shoulder straps are to be interlined with pellon crease and tac, 100% polyester and die creased for uniformity. Shoulder straps shall be graded by size with the straps for size 16-1/2" to measure 5-3/4" in length, 1-1/2" at point end and 2-1/8" where it is sewn into the shoulder seam. Shoulder straps will accommodate a removable metal 24 ligne button.

- **9.** <u>BUTTONS</u>: The entire shirt will have removable metal 24 ligne buttons. Silver Delaware State Seal buttons will be attached with a disc and toggle. Gold Delaware State Seal buttons will be required for the rank of sergeant and above. Metal buttons must be manufactured by the Waterbury Button Company.
- **10.** <u>EMBELMS</u>: A regulation Delaware Capitol Police emblem shall be attached to the left sleeve, set 1" below shoulder seam. Where needed, regulation Delaware Capitol Police rank chevrons will be attached below the shoulder emblems.

### APPENDIX C Uniform Pricing

| PRODUCT LABEL                                    | PRODUCT CODE/# | VENDOR RATES |
|--|----------------|--------------|
| Summer Breeches, Midnight Blue                   |                |              |
| Summer Trousers, Midnight Blue                   |                |              |
| Winter Breeches, French Blue                     |                |              |
| Winter Trousers, French Blue                     |                |              |
| Other Trousers, Midnight Blue                    |                |              |
| Class A Uniform Dress Blouse, Police & Fire Blue |                |              |
| Class A Uniform Dress Blouse, French Blue        |                |              |
| Class B Shirt, Long Sleeve, French Blue          |                |              |
| Uniform Shirt, Long Sleeve, French Blue          |                |              |
| 100% Polyester Shirt, Long Sleeve, White         |                |              |
| Blended Shirt, Long Sleeve, French Blue          |                |              |
| Pipe & Drum Blouse, Police & Fire Blue           |                |              |
| Class B Shirt, Short Sleeve, French Blue         |                |              |
| Uniform Shirt, Short Sleeve, French Blue         |                |              |
| 100% Polyester Shirt, Short Sleeve, White        |                |              |
| Blended Shirt, Short Sleeve, French Blue         |                |              |